







4-in-1 & AHD Camera & XVR Price List



FreeWorldImports

309 Fellowship Road, East Gate Center, Suite 200, Mount Laurel, New Jersey 08054
 Tel: +609-318-0570 <https://freeworldimports.com> Email: bizdev@freeworldimports.com

 <p>MOQ 50pcs</p> <p>General Features: △ Metal Housing, IP66 △ 2pcs IR Array LED, 2 White Light △ IR Distance: 20-25m △ 3.6mm HD Fixed Lens *CE, FCC, ROHS Approved</p>	H41-PIR6020A-NS	2.0M P	4 in 1	V30(FH8536E)+SONY323	\$27.60	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD	
	H41-PIR6020G-FS			Nextchip2441H+SONY323	\$29.90	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD	
※ 180° Super Wide Angle 4 In 1 Camera							
	H41-PA20AS4-X			V30(FH8536E)+F22	\$19.93	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD	
	H41-PA20AS4			V30(FH8536E)+SONY323	\$20.83	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD	

 <p>General Features: △Metal Housing △ ∅ 5X12pcs IR LED △IR Distance: 20-25m △1.8mm 5MP Lens 180° Super Wide Camera *CE, FCC, ROHS Approved</p>	H41-PA20AS4-SN	2.0M P	AHD/TVI /CVI/CV BS 4-in-1	Nextchip2441H+SONY323	\$21.71	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-PA20AS4-VS			Nextchip2441H+SONY307	\$26.02	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-PA20AS4-NS			Nextchip2441H+SONY291	\$27.56	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-PA20AS4-FS			FH8550M+SONY290	\$30.18	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
 <p>General Features: △Plastic Housing △ ∅ 5X12pcs IR LED △IR Distance: 20-25m △1.8mm 5MP Lens 180° Super Wide Camera *CE, FCC, ROHS Approved</p>	H41-PN20AS4-X	2.0M P	AHD/TVI /CVI/CV BS 4-in-1	V30(FH8536E)+F22	\$19.93	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-PN20AS4			V30(FH8536E)+SONY323	\$20.83	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-PN20AS4-SN			Nextchip2441H+SONY323	\$21.71	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-PN20AS4-VS			Nextchip2441H+SONY307	\$26.02	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-PN20AS4-NS			Nextchip2441H+SONY291	\$27.56	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-PN20AS4-FS			FH8550M+SONY290	\$30.18	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
 <p>General Features: △Plastic Housing △ ∅ 5X12pcs IR LED △IR Distance: 20-25m △1.8mm 5MP Lens 180° Super Wide Camera *CE, FCC, ROHS Approved</p>	H41-PR6020AS4-X	2.0M P	AHD/TVI /CVI/CV BS 4-in-1	V30(FH8536E)+F22	\$21.06	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-PR6020AS4			V30(FH8536E)+SONY323	\$21.93	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-PR6020AS4-SN			Nextchip2441H+SONY323	\$22.80	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-PR6020AS4-VS			Nextchip2441H+SONY307	\$27.12	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-PR6020AS4-NS			Nextchip2441H+SONY291	\$28.65	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-PR6020AS4-FS			FH8550M+SONY290	\$31.28	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD

※Plastic Dome Fixed Lens 4-in-1 AHD Cameras

Picture	Model No.	Megapixel	Type	Solutions	USD/Set	Descriptions	
 <p>General Features: △ Plastic Housing △ 5X12pcs IR LED △ IR Distance: 20-25m △ 3.6mm HD Fixed Lens Size: Φ90×70mm Weight: 0.25kg *CE, FCC, ROHS Approved</p>	HAHD-PD1210A-X	1.0MP	AHD	XM310+H62	\$6.65	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR	
	HAHD-PD1210A			Nextchip2433H+OV9732	\$7.26	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-PD1213A-X	1.3MP		V20(FH8532E)+GC1064	\$8.56	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-PD1213A			V20(FH8532E)+SC1135	\$9.88	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-PD1213A-SN			Nextchip2431H+SONY225	\$13.96	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-PD1220A-X	2.0MP		XM320+F22	\$9.34	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	H41-PD1220A-VF	2.0MP	AHD/TVI/CV/CVBS 4-in-1	V30(FH8536E)+F22	\$10.48	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD	
	H41-PD1220A			V30(FH8536E)+SONY323	\$12.05	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD	
	H41-PD1220A-SN			Nextchip2441H+SONY323	\$12.95	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD	
	H41-PD1220A-VS			Nextchip2441H+SONY307	\$20.20	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD	
	H41-PD1220A-NS			Nextchip2441H+SONY291	\$21.71	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	H41-PD1220A-FS			FH8550M+SONY290	\$24.30	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	HAHD-PD1240A-X	4.0MP	FH8538M+OV4689	\$16.33	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD		
	HAHD-PD1240A		Nextchip2475H+OV4689	\$17.26	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD		
	HAHD-PD1250A-X	5.0MP	TVI/AHD 2-in-1	Nextchip 2475H+ SOI K03	\$17.70	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
	HAHD-PD1250A			Nextchip2475H+SONY326	\$19.27	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
		HAHD-PD1210B-X	1.0MP	AHD	XM310+H62	\$6.87	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
		HAHD-PD1210B			Nextchip2433H+OV9732	\$7.37	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-PD1213B-X		1.3MP	V20(FH8532E)+GC1064		\$8.67	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
HAHD-PD1213B			V20(FH8532E)+SC1135		\$9.99	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
HAHD-PD1213B-SN			Nextchip2431H+SONY225		\$14.06	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
HAHD-PD1220B-X		2.0MP	XM320+F22		\$9.45	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	

General Features:
 △ Plastic Housing
 △ 5X12pcs IR LED
 △ IR Distance: 20-25m
 △ 3.6mm HD Fixed Lens
 Size: Φ90×70mm
 Weight: 0.25kg
 *CE, FCC, ROHS Approved



General Features:
 △ Plastic Housing
 △ 3pcs Array IR LED
 △ IR Distance: 20-25m
 △ 3.6mm HD Fixed Lens
 Size: Φ110×90mm
 Weight: 0.25kg
 *CE, FCC, ROHS Approved

H41-PD1220B-VF	2.0MP	AHD/TVI/CVI/CVBS 4-in-1	V30(FH8536E)+F22	\$10.58	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
H41-PD1220B			V30(FH8536E)+SONY323	\$12.15	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
H41-PD1220B-SN			Nextchip2441H+SONY323	\$13.06	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
H41-PD1220B-VS			Nextchip2441H+SONY307	\$20.31	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
H41-PD1220B-NS			Nextchip2441H+SONY291	\$21.82	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
H41-PD1220B-FS			FH8550M+SONY290	\$24.40	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
HAHD-PD1240B-X	4.0MP		FH8538M+OV4689	\$16.43	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-PD1240B			Nextchip2475H+OV4689	\$17.37	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-PD1250B-X	5.0MP	TVI/AHD 2-in-1	Nextchip 2475H+ SOI K03	\$17.81	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
HAHD-PD1250B			Nextchip2475H+SONY326	\$19.38	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-PD3010G-X	1.0MP	AHD	XM310+H62	\$7.89	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
HAHD-PD3010G			Nextchip2433H+OV9732	\$8.42	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-PD3013G-X	1.3MP		V20(FH8532E)+GC1064	\$9.23	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-PD3013G			V20(FH8532E)+SC1135	\$10.86	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-PD3013G-SN	2.0MP		Nextchip2431H+SONY225	\$15.55	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up
HAHD-PD3020G-X			XM320+F22	\$10.29	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
H41-PD3020G-VF	2.0MP	AHD/TVI/CVI/CVBS 4-in-1	V30(FH8536E)+F22	\$11.62	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
H41-PD3020G			V30(FH8536E)+SONY323	\$13.11	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
H41-PD3020G-SN			Nextchip2441H+SONY323	\$13.97	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
H41-PD3020G-VS			Nextchip2441H+SONY307	\$21.53	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
H41-PD3020G-NS			Nextchip2441H+SONY291	\$23.07	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
H41-PD3020G-FS			FH8550M+SONY290	\$25.69	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
HAHD-PD3040G-X	4.0MP		FH8538M+OV4689	\$17.59	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-PD3040G			Nextchip2475H+OV4689	\$18.25	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-PD3050G-X	5.0MP	TVI/AHD 2-in-1	Nextchip 2475H+ SOI K03	\$18.68	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD

	HAHD-PD3050G	2.1MVP	in-1	Nextchip2475H+SONY326	\$21.09	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
--	--------------	--------	------	-----------------------	---------	--



General Features:
 △ Plastic Housing
 △ 5X36pcs IR LED
 △ IR Distance: 20-25m
 △ 3.6mm HD Fixed Lens
 Size: Ø90x70mm
 Weight: 0.25kg
 *CE, FCC, ROHS Approved

HAHD-PD2410D-X	1.0MP	AHD	XM310+H62	\$7.09	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
			Nextchip2433H+OV9732	\$7.73	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	1.3MP		V20(FH8532E)+GC1064	\$9.05	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
			V20(FH8532E)+SC1135	\$10.36	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	2.0MP		Nextchip2431H+SONY225	\$14.42	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up
			XM320+F22	\$9.80	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	2.0MP	AHD/TVI/CVI/CVBS 4 in-1	V30(FH8536E)+F22	\$10.94	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
			V30(FH8536E)+SONY323	\$12.51	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
			Nextchip2441H+SONY323	\$13.42	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
			Nextchip2441H+SONY307	\$20.68	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
			Nextchip2441H+SONY291	\$22.19	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
			FH8550M+SONY290	\$24.77	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	4.0MP	AHD/TVI/CVI/CVBS 4 in-1	FH8538M+OV4689	\$16.80	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
			Nextchip2475H+OV4689	\$17.74	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
5.0MP	TVI/AHD 2 in-1	Nextchip 2475H+ SOI K03	\$18.18	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
		Nextchip2475H+SONY326	\$19.73	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
HAHD-PD2410F-X	1.0MP	AHD	XM310+H62	\$6.81	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
			Nextchip2433H+OV9732	\$7.43	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	1.3MP		V20(FH8532E)+GC1064	\$8.74	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
			V20(FH8532E)+SC1135	\$10.05	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	2.0MP		Nextchip2431H+SONY225	\$14.13	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up
			NextChip2441+SONY323	\$12.56	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	2.0MP	AHD/TVI/CVI/CVBS 4 in-1	V30(FH8536E)+F22	\$10.64	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
			V30(FH8536E)+SONY323	\$12.22	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD



General Features:
 △ Plastic Housing
 △ 5X24pcs IR LED
 △ IR Distance: 20-25m
 △ 3.6mm HD Fixed Lens
 Size: Φ90×70mm
 Weight: 0.25kg
***CE, FCC, ROHS Approved**






H41-PD2420F-SN	2.0MP	AHD/TVI/C VI/CVBS 4 in-1	Nextchip2441H+SONY323	\$13.12	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
H41-PD2420F-VS			Nextchip2441H+SONY307	\$20.38	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
H41-PD2420F-NS			Nextchip2441H+SONY291	\$21.88	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
H41-PD2420F-FS			FH8550M+SONY290	\$24.47	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
HAHD-PD2440F-X	4.0MP		FH8538M+OV4689	\$16.50	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-PD2440F			Nextchip2475H+OV4689	\$17.44	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-PD2450F-X	5.0MP	TVI/AHD 2 in-1	Nextchip 2475H+ SOI K03	\$17.87	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
HAHD-PD2450F			Nextchip2475H+SONY326	\$19.44	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD




General Features:
 △ Plastic Housing
 △ 2pcs Array IR LED
 △ IR Distance: 20-25m
 △ 3.6mm HD Fixed Lens
 Size: Φ108×74mm
 Weight: 0.25kg
***CE, FCC, ROHS Approved**

HAHD-PD2010H-X	1.0MP	AHD	XM310+H62	\$7.79	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
HAHD-PD2010H			Nextchip2433H+OV9732	\$8.31	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-PD2013H-X	1.3MP		V20(FH8532E)+GC1064	\$9.13	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-PD2013H			V20(FH8532E)+SC1135	\$10.76	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-PD2013H-SN			Nextchip2431H+SONY225	\$15.44	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up
HAHD-PD2020H-X	2.0MP		XM320+F22	\$10.18	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
H41-PD2020H-VF	2.0MP	AHD/TVI/C VI/CVBS 4 in-1	V30(FH8536E)+F22	\$11.51	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
H41-PD2020H			V30(FH8536E)+SONY323	\$13.01	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
H41-PD2020H-SN			Nextchip2441H+SONY323	\$13.86	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
H41-PD2020H-VS			Nextchip2441H+SONY307	\$21.42	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
H41-PD2020H-NS			Nextchip2441H+SONY291	\$22.96	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
H41-PD2020H-FS			FH8550M+SONY290	\$25.58	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
HAHD-PD2040H-X	4.0MP		FH8538M+OV4689	\$17.48	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-PD2040H			Nextchip2475H+OV4689	\$18.14	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-PD2050H-X	5.0MP	TVI/AHD 2 in-1	Nextchip 2475H+ SOI K03	\$18.58	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
HAHD-PD2050H			Nextchip2475H+SONY326	\$20.98	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD

※Metal Dome Fixed Lens 4-in-1 AHD Cameras

Picture	Model No.	Megapixel	Type	Solutions	USD/Set	Descriptions
   <p>General Features: △ Metal & Plastic Housing △ 2pcs Array IR LED △ IR Distance: 20-25m △ 3.6mm HD Fixed Lens Size: Φ107*82mm Weight: 0.45kg *CE, FCC, ROHS Approved</p>	HAHD-MD3010S-X	1.0MP	AHD	XM310+H62	\$9.57	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MD3010S			Nextchip2433H+OV9732	\$10.32	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MD3013S-X	1.3MP		V20(FH8532E)+GC1064	\$11.11	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MD3013S			V20(FH8532E)+SC1135	\$12.62	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MD3013S-SN	Nextchip2431H+SONY225		\$17.30	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-MD3020S-X	2.0MP		XM320+F22	\$12.38	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MD3020S-VF			V30(FH8536E)+F22	\$13.10	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MD3020S	2.0MP		V30(FH8536E)+SONY323	\$14.70	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MD3020S-SN			Nextchip2441H+SONY323	\$15.68	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MD3020S-VS			Nextchip2441H+SONY307	\$23.28	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MD3020S-NS		Nextchip2441H+SONY291	\$24.82	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	H41-MD3020S-FS	4.0MP	FH8550M+SONY290	\$27.45	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	HAHD-MD3040S-X		FH8538M+OV4689	\$19.34	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-MD3040S		Nextchip2475H+OV4689	\$20.00	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-MD3050S-X	5.0MP	TVI/AHD 2-in-1	Nextchip 2475H+ SOI K03	\$20.78	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
HAHD-MD3050S	Nextchip2475H+SONY326			\$22.85	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
 	HAHD-MD2410X-X	1.0MP	AHD	XM310+H62	\$9.85	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MD2410X			Nextchip2433H+OV9732	\$10.60	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MD2413X-X	1.3MP		V20(FH8532E)+GC1064	\$11.39	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MD2413X			V20(FH8532E)+SC1135	\$12.90	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MD2413X-SN	Nextchip2431H+SONY225		\$17.59	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-MD2420X-X	2.0MP		XM320+F22	\$12.66	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MD2420X-VF			V30(FH8536E)+F22	\$13.37	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD


<p>General Features: △Metal Housing,Vandalproof △18pcs SMT SMART IR LED △IR Distance: 20-25m △3.6mm HD Fixed Lens Size: Φ93*80mm Weight: 0.45kg *CE, FCC, ROHS Approved</p>	H41-MD2420X	2.0MP	AHD/TVI/CVI/CVBS 4 in-1	V30(FH8536E)+SONY323	\$14.97	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MD2420X-SN			Nextchip2441H+SONY323	\$15.95	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MD2420X-VS			Nextchip2441H+SONY307	\$23.57	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MD2420X-NS			Nextchip2441H+SONY291	\$25.10	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MD2420X-FS	FH8550M+SONY290	\$27.73	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD		
	HAHD-MD2440X-X	4.0MP		FH8538M+OV4689	\$19.63	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up. OSD
	HAHD-MD2440X			Nextchip2475H+OV4689	\$20.28	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MD2450X-X	5.0MP	TVI/AHD 2 in-1	Nextchip 2475H+ SOI K03	\$21.07	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up,OSD
HAHD-MD2450X	Nextchip2475H+SONY326			\$23.13	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up,OSD	
<p>HOT</p>  <p>General Features: △Metal Housing,Vandalproof △18pcs SMT SMART IR LED △IR Distance: 20-25m △3.6mm HD Fixed Lens Size: Φ93*80mm Weight: 0.45kg *CE, FCC, ROHS Approved</p>	HAHD-MD2410D-X	1.0MP	AHD	XM310+H62	\$9.85	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MD2410D			Nextchip2433H+OV9732	\$10.60	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MD2413D-X	1.3MP		V20(FH8532E)+GC1064	\$11.39	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MD2413D			V20(FH8532E)+SC1135	\$12.90	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MD2413D-SN			Nextchip2431H+SONY225	\$17.59	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up
	HAHD-MD2420D-X	2.0MP			XM320+F22	\$12.66
	H41-MD2420D-VF	2.0MP	AHD/TVI/CVI/CVBS 4 in-1	V30(FH8536E)+F22	\$13.37	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MD2420D			V30(FH8536E)+SONY323	\$14.97	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MD2420D-SN			Nextchip2441H+SONY323	\$15.95	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MD2420D-VS			Nextchip2441H+SONY307	\$23.57	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MD2420D-NS			Nextchip2441H+SONY291	\$25.10	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MD2420D-FS			FH8550M+SONY290	\$27.73	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-MD2440D-X	4.0MP		FH8538M+OV4689	\$19.63	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up. OSD
	HAHD-MD2440D			Nextchip2475H+OV4689	\$20.28	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MD2450D-X	5.0MP	TVI/AHD 2 in-1	Nextchip 2475H+ SOI K03	\$21.07	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up,OSD
	HAHD-MD2450D			Nextchip2475H+SONY326	\$23.13	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up,OSD









General Features:
 △Metal Housing, Vandalproof
 △1pcs Array IR LED
 △IR Distance: 20-25m
 △3.6mm HD Fixed Lens
 Size: Φ115*92mm
 Weight: 0.55kg
 *CE, FCC, ROHS Approved


HAHD-MDS210G-X	1.0MP	AHD	XM310+H62	\$11.00	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR	
			Nextchip2433H+OV9732	\$11.81	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	1.3MP		V20(FH8532E)+GC1064	\$12.58	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
			V20(FH8532E)+SC1135	\$14.11	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
			Nextchip2431H+SONY225	\$18.79	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	2.0MP		XM320+F22	\$13.86	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	2.0MP		AHD/TVI/CVI/CVBS 4 in-1	V30(FH8536E)+F22	\$14.53	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
				V30(FH8536E)+SONY323	\$16.14	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
				Nextchip2441H+SONY323	\$17.13	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
				Nextchip2441H+SONY307	\$24.77	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
				Nextchip2441H+SONY291	\$26.31	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
				FH8550M+SONY290	\$28.94	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	4.0MP		AHD/TVI/CVI/CVBS 4 in-1	FH8538M+OV4689	\$20.83	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up. OSD
				Nextchip2475H+OV4689	\$21.49	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
5.0MP	TVI/AHD 2 in-1	Nextchip 2475H+ SOI K03	\$22.29	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD		
		Nextchip2475H+SONY326	\$24.34	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD		
HAHD-MD3610R-X	1.0MP	AHD	XM310+H62	\$12.47	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR	
			Nextchip2433H+OV9732	\$13.34	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	1.3MP		V20(FH8532E)+GC1064	\$14.09	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
			V20(FH8532E)+SC1135	\$15.64	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
			Nextchip2431H+SONY225	\$20.33	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	2.0MP		XM320+F22	\$15.38	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	H41-MD3620R-VF			V30(FH8536E)+F22	\$16.00	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD



<p>General Features: △Metal Housing,Vandalproof △Φ5*36pcs IR LED △IR Distance: 20-25m △3.6mm HD Fixed Lens Size: Φ115*92mm Weight: 0.55kg *CE, FCC, ROHS Approved</p>	H41-MD3620R	2.0MP	AHD/TVI/CVI/CVBS 4 in-1	V30(FH8536E)+SONY323	\$17.62	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD	
	H41-MD3620R-SN			Nextchip2441H+SONY323	\$18.62	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD	
	H41-MD3620R-VS			Nextchip2441H+SONY307	\$26.31	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD	
	H41-MD3620R-NS			Nextchip2441H+SONY291	\$27.84	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	H41-MD3620R-FS			FH8550M+SONY290	\$30.47	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	HAHD-MD3640R-X	4.0MP	AHD/TVI/CVI/CVBS 4 in-1	FH8538M+OV4689	\$22.36	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up. OSD	
	HAHD-MD3640R			Nextchip 2475H+OV4689	\$23.02	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-MD3650R-X	5.0MP	TVI/AHD 2 in-1	Nextchip 2475H+ SOI K03	\$23.85	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up,OSD	
	HAHD-MD3650R			Nextchip2475H+SONY326	\$25.87	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up,OSD	
	<p>HOT</p>  <p>General Features: △Metal Housing,Vandalproof △Φ5*10pcs IR LED △IR Distance: 15-20m △3.6mm HD Fixed Lens Size: Φ99*46mm Weight: 0.55kg *CE, FCC, ROHS Approved</p>	HAHD-MDS310B-X	1.0MP	AHD	XM310+H62	\$10.80	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
HAHD-MDS310B		Nextchip2433H+OV9732			\$11.13	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
HAHD-MDS313B-X		1.3MP	V20(FH8532E)+GC1064		\$12.11	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
HAHD-MDS313B			V20(FH8532E)+5C1135		\$13.43	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
HAHD-MDS313B-SN			Nextchip2431H+SONY225		\$18.87	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
HAHD-MDS320B-X		2.0MP	XM320+F22		\$13.30	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
H41-MDS320B-VF		2.0MP	AHD/TVI/CVI/CVBS 4 in-1		V30(FH8536E)+F22	\$14.48	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
H41-MDS320B					V30(FH8536E)+SONY323	\$16.28	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
H41-MDS320B-SN					Nextchip2441H+SONY323	\$17.17	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
H41-MDS320B-VS					Nextchip2441H+SONY307	\$25.10	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
H41-MDS320B-NS				Nextchip2441H+SONY291	\$26.06	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
H41-MDS320B-FS				FH8550M+SONY290	\$29.43	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
HAHD-MDS340B-X		4.0MP	AHD/TVI/CVI/CVBS 4 in-1	FH8538M+OV4689	\$20.15	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up. OSD	
HAHD-MDS340B				Nextchip2475H+OV4689	\$20.81	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
HAHD-MDS350B-X		5.0MP	TVI/AHD 2 in-1	Nextchip 2475H+ SOI K03	\$21.25	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up,OSD	





HAHD-MDS350B		in-1	Nextchip2475H+SONY326	\$23.66	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
--------------	---	------	-----------------------	---------	--

   <p>General Features: △Metal Housing, Vandalproof △Φ5*12pcs IR LED △IR Distance: 20-25m △3.6mm HD Fixed Lens Size: Φ118*65mm Weight: 0.55kg *CE, FCC, ROHS Approved</p>	HAHD-MDS410L-X	1.0MP	AHD	XM310+H62	\$11.96	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR	
	HAHD-MDS410L			Nextchip2433H+OV9732	\$12.29	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MDS413L-X	1.3MP		V20(FH8532E)+GC1064	\$13.27	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MDS413L			V20(FH8532E)+SC1135	\$14.59	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MDS413L-SN	2.0MP		Nextchip2431H+SONY225	\$20.08	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-MDS420L-X			XM320+F22	\$14.46	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	H41-MDS420L-VF	2.0MP	AHD/TVI/CVI/CVBS 4 in-1	V30(FH8536E)+F22	\$15.64	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD	
	H41-MDS420L			V30(FH8536E)+SONY323	\$17.46	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD	
	H41-MDS420L-SN			Nextchip2441H+SONY323	\$18.35	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD	
	H41-MDS420L-VS			Nextchip2441H+SONY307	\$26.31	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD	
	H41-MDS420L-NS			Nextchip2441H+SONY291	\$27.24	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	H41-MDS420L-FS			FH8550M+SONY290	\$30.64	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	HAHD-MDS440L-X	4.0MP	TVI/AHD 2 in-1	FH8538M+OV4689	\$21.31	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up. OSD	
	HAHD-MDS440L			Nextchip2475H+OV4689	\$21.97	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-MDS450L-X	5.0MP		Nextchip 2475H+ SOI K03	\$22.41	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
	HAHD-MDS450L			Nextchip2475H+SONY326	\$24.82	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
 	HAHD-MDS410N-X	1.0MP		AHD	XM310+H62	\$11.85	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MDS410N				Nextchip2433H+OV9732	\$12.18	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MDS413N-X	1.3MP	V20(FH8532E)+GC1064		\$13.16	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MDS413N		V20(FH8532E)+SC1135		\$14.48	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MDS413N-SN	2.0MP	Nextchip2431H+SONY225		\$19.97	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-MDS420N-X		XM320+F22		\$14.35	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	H41-MDS420N-VF		V30(FH8536E)+F22		\$15.53	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD	

<p>General Features: △Metal Housing, Vandalproof △Φ5*15pcs IR LED △IR Distance: 20-25m △3.6mm HD Fixed Lens Size:102x75(H)mm Weight: 0.5kg *CE, FCC, ROHS Approved</p>	H41-MDS420N	2.0MP	AHD/TVI/CVI/CVBS 4 in-1	V30(FH8536E)+SONY323	\$17.35	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MDS420N-SN			Nextchip2441H+SONY323	\$18.24	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MDS420N-VS			Nextchip2441H+SONY307	\$26.19	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MDS420N-NS			Nextchip2441H+SONY291	\$27.12	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MDS420N-FS			FH8550M+SONY290	\$30.53	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-MDS440N-X	4.0MP		FH8538M+OV4689	\$21.20	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up. OSD
	HAHD-MDS440N			Nextchip2475H+OV4689	\$21.86	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MDS450N-X	5.0MP	TVI/AHD 2 in-1	Nextchip 2475H+ SOI K03	\$22.30	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
	HAHD-MDS450N			Nextchip2475H+SONY326	\$24.71	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	<p>HOT</p>  <p>General Features: △Metal Housing, Vandalproof △Φ5*15pcs IR LED △IR Distance: 20-25m △3.6mm HD Fixed Lens size:Φ105x80cm Weight:0.5kg *CE, FCC, ROHS Approved</p>	HAHD-MDS410W-X	1.0MP	AHD	XM310+H62	\$11.74
HAHD-MDS410W		Nextchip2433H+OV9732			\$12.07	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-MDS413W-X		1.3MP	V20(FH8532E)+GC1064		\$13.06	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-MDS413W			V20(FH8532E)+SC1135		\$14.37	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-MDS413W-SN			Nextchip2431H+SONY225		\$19.85	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up
HAHD-MDS420W-X		2.0MP	XM320+F22		\$14.24	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
H41-MDS420W-VF		2.0MP	AHD/TVI/CVI/CVBS 4 in-1	V30(FH8536E)+F22	\$15.42	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
H41-MDS420W				V30(FH8536E)+SONY323	\$17.24	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
H41-MDS420W-SN				Nextchip2441H+SONY323	\$18.13	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
H41-MDS420W-VS				Nextchip2441H+SONY307	\$26.08	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
H41-MDS420W-NS				Nextchip2441H+SONY291	\$27.01	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
H41-MDS420W-FS				FH8550M+SONY290	\$30.42	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
HAHD-MDS440W-X		4.0MP		FH8538M+OV4689	\$21.09	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up. OSD
HAHD-MDS440W	Nextchip2475H+OV4689			\$21.75	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
HAHD-MDS450W-X	5.0MP			TVI/AHD 2 in-1	Nextchip 2475H+ SOI K03	\$22.19

HAHD-MDS450W	2.0MP	in-1	Nextchip2475H+SONY326	\$24.60	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
--------------	-------	------	-----------------------	---------	--

※ Dome Varifocal Lens Cameras(2.8-12mm)

Picture	Model No.	Megapixel	Type	Solutions	USD/Set	Descriptions
  <p>General Features: ▲ Plastic Housing △ 5*21pcs IR LED △ IR Distance: 20-25m ▲ 2.8-12mm varifocal Lens Size: Φ130×100mm Weight: 0.3kg *CE, FCC, ROHS Approved</p>	HAHD-PZD3610A-X	1.0MP	AHD	XM310+H62	\$14.69	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-PZD3610A			Nextchip2433H+OV9732	\$15.66	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-PZD3613A-X	1.3MP		V20(FH8532E)+GC1064	\$16.37	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-PZD3613A			V20(FH8532E)+SC1135	\$17.96	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-PZD3613A-SN	Nextchip2431H+SONY225		\$22.56	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-PZD3620A-X	2.0MP		XM320+F22	\$17.60	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-PZD3620A-VF	2.0MP	AHD/TVI/CVI/CVBS 4 in-1	V30(FH8536E)+F22	\$18.14	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-PZD3620A			V30(FH8536E)+SONY323	\$18.93	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-PZD3620A-SN			Nextchip2441H+SONY323	\$20.80	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-PZD3620A-VS			Nextchip2441H+SONY307	\$25.65	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-PZD3620A-NS			Nextchip2441H+SONY291	\$27.18	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-PZD3620A-FS		FH8550M+SONY290	\$29.81	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	HAHD-PZD3640A-X	4.0MP		FH8538M+OV4689	\$23.24	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up. OSD
	HAHD-PZD3640A			Nextchip2475H+OV4689	\$23.90	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-PZD3650A-X	5.0MP	TVI/AHD 2 in-1	Nextchip 2475H+ SOI K03	\$24.74	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
HAHD-PZD3650A	Nextchip2475H+SONY326			\$26.75	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
 	HAHD-MZD3610B-X	1.0MP	AHD	XM310+H62	\$19.50	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MZD3610B			Nextchip2433H+OV9732	\$19.82	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZD3613B-X	1.3MP		V20(FH8532E)+GC1064	\$20.81	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZD3613B			V20(FH8532E)+SC1135	\$22.12	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZD3613B-SN	Nextchip2431H+SONY225		\$27.84	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	

Optional Color:







General Features:
 △Metal Housing, V andalproof
 △Φ5*36pcs IR LED
 △IR Distance: 30-35m
△2.8-12mm Varifocal Lens
 Size: Φ119*105
 Weight: 0.65kg
 *CE, FCC, ROHS Approved



General Features:
 △Metal Housing, V andalproof
 △Φ5*36pcs IR LED
 △IR Distance: 30-35m
△2.8-12mm Varifocal Lens
 Size: Φ119*105
 Weight: 0.65kg
 *CE, FCC, ROHS Approved

HAHD-MZD3620B-X	2.0MP	AHD/TVI/CVI/CVBS 4 in-1	XM320+F22	\$21.90	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
H41-MZD3620B-VF	2.0MP		V30(FH8536E)+F22	\$23.09	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
H41-MZD3620B			V30(FH8536E)+SONY323	\$25.03	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
H41-MZD3620B-SN			Nextchip2441H+SONY323	\$25.92	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
H41-MZD3620B-VS			Nextchip2441H+SONY307	\$31.05	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
H41-MZD3620B-NS			Nextchip2441H+SONY291	\$31.87	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
H41-MZD3620B-FS			FH8550M+SONY290	\$35.39	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
HAHD-MZD3640B-X	4.0MP		FH8538M+OV4689	\$27.40	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-MZD3640B			Nextchip2475H+OV4689	\$28.06	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-MZD3650B-X	5.0MP		TVI/AHD 2 in-1	Nextchip 2475H+ SOI K03	\$28.50
HAHD-MZD3650B		Nextchip2475H+SONY326	\$30.91	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
HAHD-MZD3610C-X	1.0MP	AHD	XM310+H62	\$19.50	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
HAHD-MZD3610C			Nextchip2433H+OV9732	\$19.82	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-MZD3613C-X	1.3MP		V20(FH8532E)+GC1064	\$20.81	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-MZD3613C			V20(FH8532E)+SC1135	\$22.12	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-MZD3613C-SN	Nextchip2431H+SONY225		\$27.84	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
HAHD-MZD3620C-X	2.0MP		XM320+F22	\$21.90	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
H41-MZD3620C-VF	2.0MP	V30(FH8536E)+F22	\$23.09	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD	
H41-MZD3620C		V30(FH8536E)+SONY323	\$25.03	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD	
H41-MZD3620C-SN		Nextchip2441H+SONY323	\$25.92	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD	
H41-MZD3620C-VS		Nextchip2441H+SONY307	\$31.05	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD	
H41-MZD3620C-NS		Nextchip2441H+SONY291	\$31.87	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
H41-MZD3620C-FS		FH8550M+SONY290	\$35.39	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
HAHD-MZD3640C-X	4.0MP	FH8538M+OV4689	\$27.40	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
HAHD-MZD3640C		Nextchip2475H+OV4689	\$28.06	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	

  <p>General Features: △Metal Housing, V andalproof △Φ5*36pcs IR LED △IR Distance: 30-35m ▲2.8-12mm Varifocal Lens Size: Φ125*105 Weight: 0.65kg *CE, FCC, ROHS Approved</p>	HAHD-MZD3650C-X	5.0MP	TVI/AHD 2-in-1	Nextchip 2475H+ SOI K03	\$28.50	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
	HAHD-MZD3650C			Nextchip2475H+SONY326	\$30.91	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-MZD3610D-X	1.0MP	AHD	XM310+H62	\$19.50	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR	
	HAHD-MZD3610D			Nextchip2433H+OV9732	\$19.82	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MZD3613D-X	1.3MP	AHD	V20(FH8532E)+GC1064	\$20.81	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MZD3613D			V20(FH8532E)+SC1135	\$22.12	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MZD3613D-SN	2.0MP	AHD	Nextchip2431H+SONY225	\$27.84	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-MZD3620D-X			XM320+F22	\$21.90	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	H41-MZD3620D-VF	2.0MP	AHD/TVI/CVI/CVBS 4-in-1	V30(FH8536E)+F22	\$23.09	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD	
	H41-MZD3620D			V30(FH8536E)+SONY323	\$25.03	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD	
	H41-MZD3620D-SN			Nextchip2441H+SONY323	\$25.92	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD	
	H41-MZD3620D-VS			Nextchip2441H+SONY307	\$31.05	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD	
	H41-MZD3620D-NS			Nextchip2441H+SONY291	\$31.87	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	H41-MZD3620D-FS			FH8550M+SONY290	\$35.39	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	HAHD-MZD3640D-X	4.0MP	AHD	FH8538M+OV4689	\$27.40	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-MZD3640D			Nextchip2475H+OV4689	\$28.06	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-MZD3650D-X	5.0MP	TVI/AHD 2-in-1	Nextchip 2475H+ SOI K03	\$28.50	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
	HAHD-MZD3650D			Nextchip2475H+SONY326	\$30.91	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	 	HAHD-MZD3610W-X	1.0MP	AHD	XM310+H62	\$19.50	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
		HAHD-MZD3610W			Nextchip2433H+OV9732	\$19.82	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-MZD3613W-X		1.3MP	AHD	V20(FH8532E)+GC1064	\$20.81	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
HAHD-MZD3613W				V20(FH8532E)+SC1135	\$22.12	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
HAHD-MZD3613W-SN		2.0MP	AHD	Nextchip2431H+SONY225	\$27.84	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
HAHD-MZD3620W-X				XM320+F22	\$21.90	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	



General Features:
 △Metal Housing, Vandalproof
 △Φ5*36pcs IR LED
 △IR Distance: 30-35m
 △2.8-12mm Varifocal Lens
 Size: Φ119*105
 Weight: 0.65kg
 *CE, FCC, ROHS Approved





H41-MZD3620W-VF	2.0MP	AHD/TVI/CVI/CVBS 4 in-1	V30(FH8536E)+F22	\$23.09	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
H41-MZD3620W			V30(FH8536E)+SONY323	\$25.03	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
H41-MZD3620W-SN			Nextchip2441H+SONY323	\$25.92	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
H41-MZD3620W-VS			Nextchip2441H+SONY307	\$31.05	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
H41-MZD3620W-NS			Nextchip2441H+SONY291	\$31.87	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
H41-MZD3620W-FS			FH8550M+SONY290	\$35.39	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
HAHD-MZD3640W-X	4.0MP		FH8538M+OV4689	\$27.40	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-MZD3640W			Nextchip2475H+OV4689	\$28.06	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-MZD3650W-X	5.0MP	TVI/AHD 2 in-1	Nextchip 2475H+ SOI K03	\$28.50	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
HAHD-MZD3650W			Nextchip2475H+SONY326	\$30.91	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD



General Features:
 △Metal Housing, Vandalproof
 △Φ5*30pcs IR LED
 △IR Distance: 30-35m
 △2.8-12mm Varifocal Lens
 Size:Φ14.1x10.1cm
 Weight: 0.65kg
 *CE, FCC, ROHS Approved



HAHD-MZD5M10G-X	1.0MP	AHD	XM310+H62	\$23.48	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
HAHD-MZD5M10G			Nextchip2433H+OV9732	\$23.81	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-MZD5M13G-X	1.3MP		V20(FH8532E)+GC1064	\$24.80	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-MZD5M13G			V20(FH8532E)+SC1135	\$26.11	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-MZD5M13G-SN			Nextchip2431H+SONY225	\$31.99	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up
HAHD-MZD5M20G-X	2.0MP			XM320+F22	\$25.89
H41-MZD5M20G-VF	2.0MP	AHD/TVI/CVI/CVBS 4 in-1	V30(FH8536E)+F22	\$27.07	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
H41-MZD5M20G			V30(FH8536E)+SONY323	\$29.08	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
H41-MZD5M20G-SN			Nextchip2441H+SONY323	\$29.98	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
H41-MZD5M20G-VS			Nextchip2441H+SONY307	\$35.21	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
H41-MZD5M20G-NS			Nextchip2441H+SONY291	\$35.92	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
H41-MZD5M20G-FS			FH8550M+SONY290	\$39.54	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
HAHD-MZD5M40G-X	4.0MP		FH8538M+OV4689	\$31.39	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-MZD5M40G			Nextchip2475H+OV4689	\$32.05	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD





HAHD-MZDSM50G-X	5.0MP	TVI/AHD 2in-1	Nextchip 2475H+ SOI K03	\$32.48	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
HAHD-MZDSM50G			Nextchip2475H+SONY326	\$34.89	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD

  <p>General Features: △Metal Housing, Vandalproof △Φ5*30pcs IR LED △IR Distance: 30-35m ▲2.8-12mm Varifocal Lens Size: Φ14.1x10.1cm Weight: 1.2kg *CE, FCC, ROHS Approved</p>	HAHD-MZDS110H-X	1.0MP	AHD	XM310+H62	\$21.73	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR	
	HAHD-MZDS110H			Nextchip2433H+OV9732	\$22.06	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MZDS113H-X	1.3MP		V20(FH8532E)+GC1064	\$23.04	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MZDS113H			V20(FH8532E)+SC1135	\$24.36	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MZDS113H-SN	2.0MP		Nextchip2431H+SONY225	\$30.16	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-MZDS120H-X			XM320+F22	\$24.14	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	H41-MZDS120H-VF	2.0MP		AHD/TVI/CVI/CVBS 4 in-1	V30(FH8536E)+F22	\$25.32	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MZDS120H				V30(FH8536E)+SONY323	\$27.30	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MZDS120H-SN				Nextchip2441H+SONY323	\$28.19	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MZDS120H-VS				Nextchip2441H+SONY307	\$33.38	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MZDS120H-NS				Nextchip2441H+SONY291	\$34.14	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MZDS120H-FS	4.0MP			FH8550M+SONY290	\$37.72	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-MZDS140H-X				FH8538M+OV4689	\$29.64	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MZDS140H				Nextchip2475H+OV4689	\$30.29	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-MZDS150H-X	5.0MP	TVI/AHD 2 in-1	Nextchip 2475H+ SOI K03		\$30.73	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
HAHD-MZDS150H			Nextchip2475H+SONY326		\$33.14	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
  <p>General Features: △Metal Housing, Vandalproof</p>	HAHD-MZDS210J-X	1.0MP	AHD		XM310+H62	\$21.95	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MZDS210J				Nextchip2433H+OV9732	\$22.28	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZDS213J-X	1.3MP			V20(FH8532E)+GC1064	\$23.26	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZDS213J				V20(FH8532E)+SC1135	\$24.58	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZDS213J-SN	2.0MP		Nextchip2431H+SONY225	\$30.39	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-MZDS220J-X			XM320+F22	\$24.36	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	H41-MZDS220J-VF	2.0MP		AHD/TVI/CVI/CVBS 4 in-1	V30(FH8536E)+F22	\$25.54	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MZDS220J				V30(FH8536E)+SONY323	\$27.53	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MZDS220J-SN				Nextchip2441H+SONY323	\$28.42	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD

<p>△Φ5*30pcs IR LED △IR Distance: 30-35m △2.8-12mm Varifocal Lens Size: Φ142*101 Weight: 1.2kg *CE, FCC, ROHS Approved</p>	H41-MZDS220J-VS	6.0MP	AHD/TVI/CVI/CVBS 4 in-1	Nextchip2441H+SONY307	\$33.61	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MZDS220J-NS			Nextchip2441H+SONY291	\$34.36	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MZDS220J-FS			FH8550M+SONY290	\$37.95	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-MZDS240J-X	4.0MP		FH8538M+OV4689	\$29.86	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MZDS240J			Nextchip2475H+OV4689	\$30.51	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MZDS250J-X	5.0MP	TVI/AHD 2 in-1	Nextchip 2475H+ SOI K03	\$30.95	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
	HAHD-MZDS250J			Nextchip2475H+SONY326	\$33.36	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD

※Plastic & Metal Bullet Fixed Lens Cameras

Picture	Model No.	Megapixel	Type	Solutions	USD/Set	Descriptions	
  <p>General Features: △Plastic Housing △Φ5*24pcs IR LED △IR Distance: 20-25m △3.6mm HD Fixed Lens Size: Φ62×157mm Weight: 0.35kg *CE, FCC, ROHS Approved</p>	HAHD-PB5010B-X	1.0MP	AHD	XM310+H62	\$7.99	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR	
	HAHD-PB5010B			Nextchip2433H+OV9732	\$8.67	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-PB5013B-X	1.3MP		V20(FH8532E)+GC1064	\$9.61	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-PB5013B			V20(FH8532E)+SC1135	\$11.35	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-PB5013B-SN			Nextchip2431H+SONY225	\$15.90	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-PB5020B-X	2.0MP		XM320+F22	\$10.62	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	H41-PB5020B-VF	2.0MP		AHD/TVI/CVI/CVBS 4 in-1	V30(FH8536E)+F22	\$11.88	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-PB5020B				V30(FH8536E)+SONY323	\$12.77	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-PB5020B-SN				Nextchip2441H+SONY323	\$14.19	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-PB5020B-VS				Nextchip2441H+SONY307	\$22.01	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-PB5020B-NS				Nextchip2441H+SONY291	\$23.55	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-PB5020B-FS				FH8550M+SONY290	\$26.04	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-PB5040B-X	4.0MP			FH8538M+OV4689	\$17.94	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-PB5040B				Nextchip2475H+OV4689	\$18.60	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-PB5050B-X	5.0MP	TVI/AHD 2 in-1	Nextchip 2475H+ SOI K03	\$19.04	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD		
HAHD-PB5050B			Nextchip2475H+SONY326	\$21.58	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD		

  General Features: △Metal Housing , IP66 △18pcs SMT SMART IR LED △IR Distance: 20-25m △3.6mm HD Fixed Lens size:15.5(W)x6.8(D)x7.5(H)cm Weight:0.45kg *CE, FCC, ROHS Approved	HAHD-MB6010DC-X	1.0MP	AHD	XM310+H62	\$10.57	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR	
	HAHD-MB6010DC			Nextchip2433H+OV9732	\$11.07	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MB6013DC-X	1.3MP		V20(FH8532E)+GC1064	\$11.73	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MB6013DC			V20(FH8532E)+SC1135	\$13.56	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MB6013DC-SN	2.0MP		Nextchip2431H+SONY225	\$17.94	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-MB6020DC-X			XM320+F22	\$12.87	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	H41-MB6020DC-VF	2.0MP		AHD/TVI/CV/CVBS 4-in-1	V30(FH8536E)+F22	\$14.00	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MB6020DC				V30(FH8536E)+SONY323	\$15.61	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MB6020DC-SN				Nextchip2441H+SONY323	\$16.31	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MB6020DC-VS				Nextchip2441H+SONY307	\$24.23	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MB6020DC-NS				Nextchip2441H+SONY291	\$25.76	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MB6020DC-FS				FH8550M+SONY290	\$28.39	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-MB6040DC-X	4.0MP		TVI/AHD 2-in-1	FH8538M+OV4689	\$20.28	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up. OSD
	HAHD-MB6040DC				Nextchip2475H+OV4689	\$20.94	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-MB6050DC-X	5.0MP	Nextchip 2475H+ SOI K03	\$21.38		1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD		
HAHD-MB6050DC		Nextchip2475H+SONY326	\$23.79		1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD		
  General Features: △Metal Housing , IP66	HAHD-MB6010D-X	1.0MP	AHD		XM310+H62	\$10.14	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MB6010D				Nextchip2433H+OV9732	\$10.64	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MB6013D-X	1.3MP		V20(FH8532E)+GC1064	\$11.31	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MB6013D			V20(FH8532E)+SC1135	\$13.12	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MB6013D-SN	2.0MP		Nextchip2431H+SONY225	\$17.51	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-MB6020D-X			XM320+F22	\$12.45	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	H41-MB6020D-VF	2.0MP		AHD	V30(FH8536E)+F22	\$13.58	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MB6020D				V30(FH8536E)+SONY323	\$15.18	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
H41-MB6020D-SN	Nextchip2441H+SONY323		\$15.89		1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD		

△18pcs SMT SMART IR LED
 △IR Distance: 20-25m
 △3.6mm HD Fixed Lens
 Size:155 x 68 x75 mm
 Weight: 0.45kg
 *CE, FCC, ROHS Approved

H41-MB6020D-VS	6.0MP	AHD/TVI/C VI/CVBS 4 in-1	Nextchip2441H+SONY307	\$23.79	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
H41-MB6020D-NS			Nextchip2441H+SONY291	\$25.32	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
H41-MB6020D-FS			FH8550M+SONY290	\$27.95	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
HAHD-MB6040D-X	4.0MP		FH8538M+OV4689	\$19.85	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up. OSD
HAHD-MB6040D			Nextchip2475H+OV4689	\$20.50	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-MB6050D-X	5.0MP	TVI/AHD 2 in-1	Nextchip 2475H+ SOI K03	\$20.94	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
HAHD-MB6050D			Nextchip2475H+SONY326	\$23.35	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD



General Features:
 △Metal Housing , IP66
 △Φ5*24pcs IR LED
 △IR Distance: 20-25m
 △3.6mm HD Fixed Lens
 Size: Φ83x172mm
 Weight: 0.45kg
 *CE, FCC, ROHS Approved


HAHD-MB6010Q-X	1.0MP	AHD	XM310+H62	\$10.40	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
HAHD-MB6010Q			Nextchip2433H+OV9732	\$10.90	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-MB6013Q-X	1.3MP		V20(FH8532E)+GC1064	\$11.57	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-MB6013Q			V20(FH8532E)+5C1135	\$13.38	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-MB6013Q-SN	2.0MP		Nextchip2431H+SONY225	\$17.77	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up
HAHD-MB6020Q-X			XM320+F22	\$12.70	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
H41-MB6020Q-VF	2.0MP	AHD/TVI/C VI/CVBS 4 in-1	V30(FH8536E)+F22	\$13.83	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
H41-MB6020Q			V30(FH8536E)+SONY323	\$15.44	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
H41-MB6020Q-SN			Nextchip2441H+SONY323	\$16.14	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
H41-MB6020Q-VS			Nextchip2441H+SONY307	\$24.05	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
H41-MB6020Q-NS			Nextchip2441H+SONY291	\$25.58	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
H41-MB6020Q-FS			FH8550M+SONY290	\$28.21	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
HAHD-MB6040Q-X	4.0MP		FH8538M+OV4689	\$20.11	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up. OSD
HAHD-MB6040Q			Nextchip2475H+OV4689	\$20.77	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-MB6050Q-X	5.0MP	TVI/AHD 2 in-1	Nextchip 2475H+ SOI K03	\$21.20	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
HAHD-MB6050Q			Nextchip2475H+SONY326	\$23.61	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD









General Features:
 △ Metal Housing , IP66
 △ Φ5*36pcs IR LED
 △ IR Distance: 20-25m
 △ 3.6mm HD Fixed Lens
 Size: Φ83×172mm
 Weight: 0.45kg
 *CE, FCC, ROHS Approved





HAHD-MB6010G-X	1.0MP	AHD	XM310+H62	\$10.21	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR	
			Nextchip2433H+OV9732	\$10.71	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	1.3MP		V20(FH8532E)+GC1064	\$11.38	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
			V20(FH8532E)+SC1135	\$13.19	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	2.0MP		Nextchip2431H+SONY225	\$17.58	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
			XM320+F22	\$12.51	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	2.0MP		AHD/TVI/CVI/CVBS 4 in-1	V30(FH8536E)+F22	\$13.64	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
				V30(FH8536E)+SONY323	\$15.25	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
				Nextchip2441H+SONY323	\$15.95	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
				Nextchip2441H+SONY307	\$23.85	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
				Nextchip2441H+SONY291	\$25.39	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
				FH8550M+SONY290	\$28.02	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	4.0MP		AHD/TVI/CVI/CVBS 4 in-1	FH8538M+OV4689	\$19.91	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up. OSD
				Nextchip2475H+OV4689	\$20.57	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
5.0MP	TVI/AHD 2 in-1	Nextchip 2475H+ SOI K03	\$21.01	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD		
		Nextchip2475H+SONY326	\$23.42	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD		
HAHD-MB6010K-X	1.0MP	AHD	XM310+H62	\$11.56	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR	
			Nextchip2433H+OV9732	\$11.44	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	1.3MP		V20(FH8532E)+GC1064	\$12.09	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
			V20(FH8532E)+SC1135	\$13.93	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	2.0MP		Nextchip2431H+SONY225	\$18.31	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
			XM320+F22	\$13.23	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	H41-MB6020K-VF		2.0MP	V30(FH8536E)+F22	\$14.36	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
H41-MB6020K		\$15.97		1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD		


<p>General Features: △Metal Housing , IP66 △Φ5*36pcs IR LED △IR Distance: 20-25m △3.6mm HD Fixed Lens Size: Φ83x172mm Weight: 0.45kg *CE, FCC, ROHS Approved</p>	H41-MB6020K-SN	2.0MP	AHD/TVI/CVI/CVBS 4 in-1	Nextchip2441H+SONY323	\$16.67	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD	
	H41-MB6020K-VS			Nextchip2441H+SONY307	\$24.60	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD	
	H41-MB6020K-NS			Nextchip2441H+SONY291	\$26.13	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	H41-MB6020K-FS			FH8550M+SONY290	\$28.76	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	HAHD-MB6040K-X	4.0MP		FH8538M+OV4689	\$20.66	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-MB6040K			Nextchip2475H+OV4689	\$21.31	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-MB6050K-X	5.0MP		Nextchip 2475H+ SOI K03	\$21.75	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
	HAHD-MB6050K			Nextchip2475H+SONY326	\$24.16	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
 <p>General Features: △Metal Housing , IP66 △Φ5*36pcs IR LED △IR Distance: 25-30m △3.6mm HD Fixed Lens Weight: 0.45kg *CE, FCC, ROHS Approved</p>	HAHD-MB6010G2-X	1.0MP	AHD	XM310+H62	\$10.82	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR	
	HAHD-MB6010G2			Nextchip2433H+OV9732	\$11.33	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MB6013G2-X	1.3MP		V20(FH8532E)+GC1064	\$11.99	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MB6013G2			V20(FH8532E)+SC1135	\$13.82	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MB6013G2-SN			Nextchip2431H+SONY225	\$18.20	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-MB6020G2-X	2.0MP		XM320+F22	\$13.12	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	H41-MB6020G2-VF	2.0MP		V30(FH8536E)+F22	\$14.25	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD	
	H41-MB6020G2			V30(FH8536E)+SONY323	\$15.86	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD	
	H41-MB6020G2-SN			Nextchip2441H+SONY323	\$16.56	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD	
	H41-MB6020G2-VS			Nextchip2441H+SONY307	\$24.49	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD	
	H41-MB6020G2-NS			Nextchip2441H+SONY291	\$26.02	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	H41-MB6020G2-FS			FH8550M+SONY290	\$28.65	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	HAHD-MB6040G2-X			4.0MP	FH8538M+OV4689	\$20.55	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MB6040G2				Nextchip2475H+OV4689	\$21.20	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MB6050G2-X	5.0MP		Nextchip 2475H+ SOI K03	\$21.64	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
	HAHD-MB6050G2			Nextchip2475H+SONY326	\$24.05	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	

  <p>General Features: △Metal Housing , IP66 △4pcs Array LED △IR Distance: 20-25m △3.6mm HD Fixed Lens size: 130x130x130mm Weight:0.8kg *CE, FCC, ROHS Approved</p>	HAHD-MB4010S1-X	1.0MP	AHD	XM310+H62	\$11.24	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR	
	HAHD-MB4010S1			Nextchip2433H+OV9732	\$11.76	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MB4013S1-X	1.3MP		V20(FH8532E)+GC1064	\$12.41	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MB4013S1			V20(FH8532E)+SC1135	\$14.26	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MB4013S1-SN			Nextchip2431H+SONY225	\$18.63	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-MB4020S1-X	2.0MP		XM320+F22	\$13.54	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	H41-MB4020S1-VF	2.0MP	AHD/TVI/CVI/CVBS 4 in-1	V30(FH8536E)+F22	\$14.67	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD	
	H41-MB4020S1			V30(FH8536E)+SONY323	\$16.28	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD	
	H41-MB4020S1-SN			Nextchip2441H+SONY323	\$16.98	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD	
	H41-MB4020S1-VS			Nextchip2441H+SONY307	\$24.93	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD	
	H41-MB4020S1-NS			Nextchip2441H+SONY291	\$26.46	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	H41-MB4020S1-FS			FH8550M+SONY290	\$29.09	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	HAHD-MB4040S1-X	4.0MP	AHD/TVI/CVI/CVBS 4 in-1	FH8538M+OV4689	\$20.98	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up. OSD	
	HAHD-MB4040S1			Nextchip2475H+OV4689	\$21.64	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-MB4050S1-X	5.0MP	TVI/AHD 2 in-1	Nextchip 2475H+ SOI K03	\$22.08	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
	HAHD-MB4050S1			Nextchip2475H+SONY326	\$24.49	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
 	HAHD-MB4010S3-X	1.0MP	AHD	XM310+H62	\$12.09	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR	
	HAHD-MB4010S3			Nextchip2433H+OV9732	\$12.62	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MB4013S3-X	1.3MP		V20(FH8532E)+GC1064	\$13.25	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MB4013S3			V20(FH8532E)+SC1135	\$15.14	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MB4013S3-SN			Nextchip2431H+SONY225	\$19.49	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-MB4020S3-X	2.0MP		XM320+F22	\$14.38	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	H41-MB4020S3-VF				V30(FH8536E)+F22	\$15.51	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MB4020S3				V30(FH8536E)+SONY323	\$17.13	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD

<p>General Features: △Metal Housing , IP66 △2pcs Array LED △IR Distance: 20-25m △3.6mm HD Fixed Lens size: 130x130x130mm Weight:0.8kg *CE, FCC, ROHS Approved</p>	H41-MB4020S3-SN	2.0MP	AHD/TVI/CVI/CVBS 4 in-1	Nextchip2441H+SONY323	\$17.82	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MB4020S3-VS			Nextchip2441H+SONY307	\$25.80	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MB4020S3-NS			Nextchip2441H+SONY291	\$27.34	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MB4020S3-FS			FH8550M+SONY290	\$29.97	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR , 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-MB4040S3-X	4.0MP		FH8538M+OV4689	\$21.86	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MB4040S3			Nextchip2475H+OV4689	\$22.52	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MB4050S3-X	5.0MP		Nextchip 2475H+ SOI K03	\$22.96	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
	HAHD-MB4050S3			Nextchip2475H+SONY326	\$25.37	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
<p></p> <p></p> <p>General Features: △Metal Housing , IP66 △2pcs Array LED △IR Distance: 20-25m △3.6mm HD Fixed Lens Weight: 0.45kg *CE, FCC, ROHS Approved</p>	HAHD-MB4010S4-X	1.0MP	AHD	XM310+H62	\$10.82	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MB4010S4			Nextchip2433H+OV9732	\$11.33	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MB4013S4-X	1.3MP		V20(FH8532E)+GC1064	\$11.99	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MB4013S4			V20(FH8532E)+SC1135	\$13.82	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MB4013S4-SN			Nextchip2431H+SONY225	\$18.20	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up
	HAHD-MB4020S4-X	2.0MP		XM320+F22	\$13.12	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MB4020S4-VF	2.0MP		V30(FH8536E)+F22	\$14.25	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MB4020S4			V30(FH8536E)+SONY323	\$15.86	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MB4020S4-SN			Nextchip2441H+SONY323	\$16.56	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MB4020S4-VS			Nextchip2441H+SONY307	\$24.49	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MB4020S4-NS			Nextchip2441H+SONY291	\$26.02	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MB4020S4-FS			FH8550M+SONY290	\$28.65	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR , 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-MB4040S4-X	4.0MP		FH8538M+OV4689	\$20.55	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MB4040S4			Nextchip2475H+OV4689	\$21.20	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MB4050S4-X	5.0MP		Nextchip 2475H+ SOI K03	\$21.64	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
	HAHD-MB4050S4			Nextchip2475H+SONY326	\$24.05	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD

※Metal Bullet Varifocal Lens Cameras(2.8-12mm)



Picture	Model No.	Megapixel	Type	Solutions	USD/Set	Descriptions	
 <p>General Features: ▲Metal Housing, IP66 ▲Φ5*42pcs IR LED ▲IR Distance: 30-40m ▲2.8-12mm Varifocal Lens Size: Φ236×176×87mm Weight: 1.7kg *CE, FCC, ROHS Approved</p>	HAHD-MZB7510C-X	1.0MP	AHD	XM310+H62	\$19.78	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR	
	HAHD-MZB7510C			Nextchip2433H+OV9732	\$20.44	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MZB7513C-X	1.3MP		V20(FH8532E)+GC1064	\$20.87	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MZB7513C			V20(FH8532E)+SC1135	\$23.09	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MZB7513C-SN	Nextchip2431H+SONY225		\$27.23	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up		
	HAHD-MZB7520C-X	2.0MP		XM320+F22	\$21.92	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	H41-MZB7520C-VF	2.0MP	AHD/TVI/CV/CVBS 4-in-1	V30(FH8536E)+F22	\$22.55	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD	
	H41-MZB7520C			V30(FH8536E)+SONY323	\$24.22	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD	
	H41-MZB7520C-SN			Nextchip2441H+SONY323	\$24.85	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD	
	H41-MZB7520C-VS			Nextchip2441H+SONY307	\$30.25	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD	
	H41-MZB7520C-NS			Nextchip2441H+SONY291	\$31.78	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	H41-MZB7520C-FS			FH8550M+SONY290	\$34.41	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	HAHD-MZB7540C-X	4.0MP	AHD/TVI/CV/CVBS 4-in-1	FH8538M+OV4689	\$27.84	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-MZB7540C			Nextchip2475H+OV4689	\$28.50	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-MZB7550C-X	5.0MP	TVI/AHD 2-in-1	Nextchip 2475H+ SOI K03	\$28.94	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
	HAHD-MZB7550C			Nextchip2475H+SONY326	\$36.16	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
		HAHD-MZB7510Y-X	1.0MP	AHD	XM310+H62	\$18.72	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
		HAHD-MZB7510Y			Nextchip2433H+OV9732	\$19.36	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-MZB7513Y-X		1.3MP	V20(FH8532E)+GC1064		\$19.82	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
HAHD-MZB7513Y			V20(FH8532E)+SC1135		\$21.99	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
HAHD-MZB7513Y-SN		Nextchip2431H+SONY225	\$26.15		1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up		
HAHD-MZB7520Y-X		2.0MP	XM320+F22		\$20.87	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
H41-MZB7520Y-VF			V30(FH8536E)+F22	\$21.50	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD		

<p>General Features: △Metal Housing, IP66 △Φ5*42pcs IR LED △IR Distance: 30-40m △2.8-12mm Varifocal Lens Size: Φ236×176x87mm Weight: 1.7kg *CE, FCC, ROHS Approved</p>	H41-MZB7520Y	2.0MP	AHD/TVI/CVI/CVBS 4 in-1	V30(FH8536E)+SONY323	\$23.17	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD	
	H41-MZB7520Y-SN			Nextchip2441H+SONY323	\$23.81	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD	
	H41-MZB7520Y-VS			Nextchip2441H+SONY307	\$29.16	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD	
	H41-MZB7520Y-NS			Nextchip2441H+SONY291	\$30.69	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	H41-MZB7520Y-FS			FH8550M+SONY290	\$33.32	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	HAHD-MZB7540Y-X	4.0MP		FH8538M+OV4689	\$26.75	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up. OSD	
	HAHD-MZB7540Y			Nextchip2475H+OV4689	\$27.40	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-MZB7550Y-X	5.0MP	TVI/AHD 2 in-1	Nextchip 2475H+ SOI K03	\$27.84	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
	HAHD-MZB7550Y			Nextchip2475H+SONY326	\$35.07	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	<p>Optional Color</p>  <p>General Features: △Metal Housing, IP66 △Φ5*42pcs IR LED △IR Distance: 30-40m △2.8-12mm Varifocal Lens Size: Φ236×176x87mm Weight: 1.7kg *CE, FCC, ROHS Approved</p>	HAHD-MZB7510W-X	1.0MP	AHD	XM310+H62	\$21.68	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
HAHD-MZB7510W		Nextchip2433H+OV9732			\$22.38	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
HAHD-MZB7513W-X		1.3MP	V20(FH8532E)+GC1064		\$22.76	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
HAHD-MZB7513W			V20(FH8532E)+SC1135		\$25.06	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
HAHD-MZB7513W-SN			Nextchip2431H+SONY225		\$29.16	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
HAHD-MZB7520W-X		2.0MP	XM320+F22		\$23.81	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
H41-MZB7520W-VF		2.0MP	AHD/TVI/CVI/CVBS 4 in-1		V30(FH8536E)+F22	\$24.43	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
H41-MZB7520W					V30(FH8536E)+SONY323	\$26.13	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
H41-MZB7520W-SN					Nextchip2441H+SONY323	\$26.74	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
H41-MZB7520W-VS					Nextchip2441H+SONY307	\$32.22	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
H41-MZB7520W-NS					Nextchip2441H+SONY291	\$33.76	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
H41-MZB7520W-FS					FH8550M+SONY290	\$36.38	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
HAHD-MZB7540W-X					4.0MP	FH8538M+OV4689	\$29.81
HAHD-MZB7540W		Nextchip2475H+OV4689	\$30.47			1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
HAHD-MZB7550W-X	5.0MP	TVI/AHD 2 in-1	Nextchip 2475H+ SOI K03	\$30.91	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD		



	HAHD-MZB7550W	2.0MP	in-1	Nextchip2475H+SONY326	\$38.14	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
--	---------------	-------	------	-----------------------	---------	--



General Features:
 △Metal Housing, IP66
 △Φ5*42pcs IR LED
 △IR Distance: 30-40m
 △2.8-12mm Varifocal Lens
 Size: Φ236×176x87mm
 Weight: 1.7kg
 *CE, FCC, ROHS Approved





 	HAHD-MZB7510M-X	1.0MP	AHD	XM310+H62	\$22.32	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR	
	HAHD-MZB7510M			Nextchip2433H+OV9732	\$23.03	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MZB7513M-X	1.3MP		V20(FH8532E)+GC1064	\$23.39	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MZB7513M			V20(FH8532E)+SC1135	\$25.72	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MZB7513M-SN	2.0MP		Nextchip2431H+SONY225	\$29.81	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-MZB7520M-X			XM320+F22	\$24.43	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	H41-MZB7520M-VF	2.0MP		AHD/TVI/CVI/CVBS 4 in-1	V30(FH8536E)+F22	\$25.06	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MZB7520M				V30(FH8536E)+SONY323	\$26.76	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MZB7520M-SN				Nextchip2441H+SONY323	\$27.37	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MZB7520M-VS				Nextchip2441H+SONY307	\$32.88	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MZB7520M-NS				Nextchip2441H+SONY291	\$34.41	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MZB7520M-FS				FH8550M+SONY290	\$37.04	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-MZB7540M-X	4.0MP		TVI/AHD 2 in-1	FH8538M+OV4689	\$30.47	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MZB7540M				Nextchip2475H+OV4689	\$31.13	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MZB7550M-X	5.0MP			Nextchip 2475H+ SOI K03	\$31.56	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
	HAHD-MZB7550M				Nextchip2475H+SONY326	\$38.79	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-MZB7510J-X	1.0MP	AHD	XM310+H62		\$22.32	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR	
HAHD-MZB7510J			Nextchip2433H+OV9732		\$23.03	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
HAHD-MZB7513J-X	1.3MP		V20(FH8532E)+GC1064		\$23.39	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
HAHD-MZB7513J			V20(FH8532E)+SC1135		\$25.72	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
HAHD-MZB7513J-SN	2.0MP		Nextchip2431H+SONY225		\$29.81	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
HAHD-MZB7520J-X			XM320+F22		\$24.43	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
H41-MZB7520J-VF			V30(FH8536E)+F22		\$25.06	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD	
H41-MZB7520J			V30(FH8536E)+SONY323		\$26.76	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD	

General Features:
 △Metal Housing, IP66
 △Φ5*42pcs IR LED
 △IR Distance: 30-40m
 △2.8-12mm Varifocal Lens
 Size: Φ236×176x87mm
 Weight: 1.7kg
 *CE, FCC, ROHS Approved

 	H41-MZB7520J-SN	2.0MP	AHD/TVI/CVI/CVBS 4 in-1	Nextchip2441H+SONY323	\$27.37	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MZB7520J-VS			Nextchip2441H+SONY307	\$32.88	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MZB7520J-NS			Nextchip2441H+SONY291	\$34.41	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MZB7520J-FS			FH8550M+SONY290	\$37.04	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-MZB7540J-X	4.0MP		FH8538M+OV4689	\$30.47	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MZB7540J			Nextchip2475H+OV4689	\$31.13	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MZB7550J-X	5.0MP	TVI/AHD 2 in-1	Nextchip 2475H+ SOI K03	\$31.56	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
	HAHD-MZB7550J			Nextchip2475H+SONY326	\$38.79	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-MZB7510D-X	1.0MP	AHD	XM310+H62	\$20.62	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR	
HAHD-MZB7510D			Nextchip2433H+OV9732	\$21.30	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
HAHD-MZB7513D-X	1.3MP		V20(FH8532E)+GC1064	\$21.71	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
HAHD-MZB7513D			V20(FH8532E)+SC1135	\$23.96	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
HAHD-MZB7513D-SN			Nextchip2431H+SONY225	\$28.09	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
HAHD-MZB7520D-X	2.0MP		XM320+F22	\$22.76	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
H41-MZB7520D-VF	2.0MP	AHD/TVI/CVI/CVBS 4 in-1	V30(FH8536E)+F22	\$23.39	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD	
H41-MZB7520D			V30(FH8536E)+SONY323	\$25.07	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD	
H41-MZB7520D-SN			Nextchip2441H+SONY323	\$25.69	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD	
H41-MZB7520D-VS			Nextchip2441H+SONY307	\$31.13	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD	
H41-MZB7520D-NS			Nextchip2441H+SONY291	\$32.66	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
H41-MZB7520D-FS			FH8550M+SONY290	\$35.29	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
HAHD-MZB7540D-X	4.0MP		FH8538M+OV4689	\$28.72	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
HAHD-MZB7540D			Nextchip2475H+OV4689	\$29.37	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
HAHD-MZB7550D-X	5.0MP	TVI/AHD 2 in-1	Nextchip 2475H+ SOI K03	\$29.81	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	

General Features:
 △Metal Housing, IP66
 △Φ5*42pcs IR LED
 △IR Distance: 30-40m
 △2.8-12mm Varifocal Lens
 Size: Φ236×176x87mm
 Weight: 1.7kg
 *CE, FCC, ROHS Approved


HAHD-MZB7550D	2.0MP	in-1	Nextchip2475H+SONY326	\$37.04	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
---------------	-------	------	-----------------------	---------	--


  <p>General Features: △Metal Housing, IP66 △Φ5*42pcs IR LED △IR Distance: 30-40m △2.8-12mm Varifocal Lens size:215x75x107mm Weight:0.53kg *CE, FCC, ROHS Approved</p>	HAHD-MZB7510K-X	1.0MP	AHD	XM310+H62	\$19.57	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR	
	HAHD-MZB7510K			Nextchip2433H+OV9732	\$20.23	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MZB7513K-X	1.3MP		V20(FH8532E)+GC1064	\$20.66	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MZB7513K			V20(FH8532E)+SC1135	\$22.87	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MZB7513K-SN			Nextchip2431H+SONY225	\$27.01	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-MZB7520K-X	2.0MP		XM320+F22	\$21.71	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	H41-MZB7520K-VF	2.0MP	AHD/TVI/CVI/CVBS 4 in-1	V30(FH8536E)+F22	\$22.34	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD	
	H41-MZB7520K			V30(FH8536E)+SONY323	\$24.01	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD	
	H41-MZB7520K-SN			Nextchip2441H+SONY323	\$24.64	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD	
	H41-MZB7520K-VS			Nextchip2441H+SONY307	\$30.03	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD	
	H41-MZB7520K-NS			Nextchip2441H+SONY291	\$31.56	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	H41-MZB7520K-FS			FH8550M+SONY290	\$34.19	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	HAHD-MZB7540K-X	4.0MP	TVI/AHD 2 in-1	FH8538M+OV4689	\$27.62	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up. OSD	
	HAHD-MZB7540K			Nextchip2475H+OV4689	\$28.28	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-MZB7550K-X	5.0MP		Nextchip 2475H+ SOI K03	\$28.72	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
	HAHD-MZB7550K			Nextchip2475H+SONY326	\$35.95	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
 	HAHD-MZB7510T-X	1.0MP		AHD	XM310+H62	\$24.12	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MZB7510T				Nextchip2433H+OV9732	\$24.86	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZB7513T-X	1.3MP	V20(FH8532E)+GC1064		\$25.17	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MZB7513T		V20(FH8532E)+SC1135		\$27.58	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MZB7513T-SN		Nextchip2431H+SONY225		\$31.64	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-MZB7520T-X	2.0MP	XM320+F22		\$26.22	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	H41-MZB7520T-VF				V30(FH8536E)+F22	\$26.85	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MZB7520T				V30(FH8536E)+SONY323	\$28.56	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD


General Features: △Metal Housing, IP66 △8pcs Array LED △IR Distance: 45-50m △2.8-12mm Varifocal Lens Size: Φ313×98x98mm Weight: 1.7kg *CE, FCC, ROHS Approved	H41-MZB7520T-SN	2.0MP	AHD/TVI/CVI/CVBS 4 in-1	Nextchip2441H+SONY323	\$29.16	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MZB7520T-VS			Nextchip2441H+SONY307	\$34.74	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MZB7520T-NS			Nextchip2441H+SONY291	\$36.27	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MZB7520T-FS			FH8550M+SONY290	\$38.90	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-MZB7540T-X	4.0MP	AHD/TVI/CVI/CVBS 4 in-1	FH8538M+OV4689	\$32.33	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MZB7540T			Nextchip2475H+OV4689	\$32.99	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MZB7550T-X	5.0MP	TVI/AHD 2 in-1	Nextchip 2475H+ SOI K03	\$33.43	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
	HAHD-MZB7550T			Nextchip2475H+SONY326	\$40.66	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD

✧ AHD High Speed Dome Camera


4inch High Speed Dome Camera


Picture	Model No.	Megapixel	Type	Solutions	USD/Set	Descriptions
	HAHD-TS405-BGZ1	1.3MP	AHD High Speed PTZ Camera	Nextchip2431+AR0130 Sensor:AR0130 Zoom Lens: 20X	\$99.54	<ul style="list-style-type: none"> ●8pcs OSRAM Array LEDs,IR Distance 100M ●20X optical zoom lens (Displayable 36X zoom) ●Horizontal Rotation Speed 0.01°~100°/s, Vertical rotation speed 0.01°~100°/s: ●PTZ Control by Coaxial(plug-and-play) or RS485 ●Preset cruise, pattern scanning,area scanning, 360°horizontal scanning ●Lighting protection: 4000V (three three lightning protection measures, effectively protect the camera running) ●Housing: Aluminum die casting shield ●Operating temperature: -20℃~60℃ ●Power Supply: DC12V-2A
	HAHD-TS405-BGZ2	2.0MP		Nextchip2441+SONY323 Sensor:sony IMX 323 Zoom Lens: 20X	\$110.85	

	HAHD-TS406-BGZ1	1.3MP	AHD High Speed PTZ Camera	Nextchip2431+AR0130 Sensor:AR0130 Zoom Lens: 20X	\$117.64	<ul style="list-style-type: none"> ●6pcs OSRAM Array LEDs,IR Distance 80M ●20X optical zoom lens (Displayable 36X zoom) ●Horizontal Rotation Speed 0.01°~240°/s, Vertical rotation speed 0.01°~180°/s: ●PTZ Control by Coaxial (plug-and-play) or RS485 ●Preset cruise, pattern scanning,area scanning, 360°horizontal scanning ●Lighting protection: 4000V (three three lightning protection measures, effectively protect the camera running) ●Housing: Aluminum die casting shield ●Operating temperature: -20℃~60℃ ●Power Supply: DC12V-2A
	HAHD-TS406-BGZ2	2.0MP		Nextchip2441+SONY323 Sensor:sony IMX 323 Zoom Lens: 20X	\$131.21	


	HAHD-TS507-BGZ1	1.3MP	AHD High Speed PTZ Camera	Nextchip2431+AR0130 Sensor:AR0130 Zoom Lens: 20X	\$117.64	<ul style="list-style-type: none"> ●6pcs OSRAM Array LEDs,IR Distance 80M ●20X optical zoom lens (Displayable 36X zoom) ●Horizontal Rotation Speed 0.01°~40°/s, Vertical rotation speed 0.01°~40°/s: ●PTZ Control by Coaxial (plug-and-play) or RS485 ●Preset cruise, pattern scanning,area scanning, 360°horizontal scanning ●Lighting protection: 4000V (three three lightning protection measures, effectively protect the camera running) ●Housing: Aluminum die casting shield ●Operating temperature: -20℃~60℃ ●Power Supply: DC12V-2A
	HAHD-TS507-BGZ2	2.0MP		Nextchip2441+SONY323 Sensor:sony IMX 323 Zoom Lens: 20X	\$142.52	

6inch High Speed Dome Camera




Picture	Model No.	Megapixel	Type	Solutions	USD/Set	Descriptions
 <p>Half metal</p>	HAHD-TS604-BGZ1	1.3MP	AHD High Speed PTZ Camera	Nextchip2431+AR0130 Sensor:AR0130 Zoom Lens: 20X	\$117.64	<ul style="list-style-type: none"> ●5pcs OSRAM IR Array LEDs,3pcs Laser LEDs,IR Distance 150M ●20X optical zoom lens (Displayable 36X zoom) ●Horizontal Rotation Speed 0.01°~100°/s, Vertical rotation speed 0.01°~100°/s: ●PTZ Control by Coaxial (plug-and-play) or RS485 ●Preset cruise, pattern scanning,area scanning, 360°horizontal scanning ●Lighting protection: 4000V (three three lightning protection measures, effectively protect the camera running) ●Housing: Aluminum die casting shield ●Operating temperature: -20℃~60℃ ●Power Supply: DC12V-4A
	HAHD-TS604-BGZ2	2.0MP		Nextchip2441+SONY323 Sensor:sony IMX 323 Zoom Lens: 20X	\$131.21	


 <p>AHD</p> <p>Full metal</p>	HAHD-TS601-BGZ1	1.3MP	AHD High Speed PTZ Camera	Nextchip2431+AR0130 Sensor:AR0130 Zoom Lens: 20X	\$160.62	<ul style="list-style-type: none"> ●4pcs OSRAM IR Array LEDs,6pcs laser LEDs,IR Distance 300M ●20X optical zoom lens (Displayable 36X zoom) ●Horizontal Rotation Speed 0.01°~240°/s, Vertical rotation speed 0.01°~180°/s; ●PTZ Control by Coaxial (plug-and-play) or RS485 ●Preset cruise, pattern scanning,area scanning, 360°horizontal scanning ●Lighting protection: 4000V (three three lightning protection measures, effectively protect the camera running) ●Housing: Aluminum die casting shield ●Operating temperature: -20℃~60℃ ●Power Supply: DC12V-4A
	HAHD-TS601-BGZ2	2.0MP		Nextchip2441+SONY323 Sensor:sony IMX 323 Zoom Lens: 20X	\$174.20	

8inch High Speed Dome Camera


Picture	Model No.	Megapixel	Type	Solutions	USD/Set	Descriptions
 <p>AHD</p>	HAHD-TS809-BGZ1	1.3MP	AHD High Speed PTZ Camera	Nextchip2431+AR0130 Sensor:AR0130 Zoom Lens: 20X	\$153.84	<ul style="list-style-type: none"> ●6pcs OSRAM IR Array LEDs,4pcs laser LEDs,IR Distance 300M ●20X optical zoom lens (Displayable 36X zoom) ●Horizontal Rotation Speed 0.01°~40°/s, Vertical rotation speed 0.01°~40°/s; ●PTZ Control by Coaxial (plug-and-play) or RS485 ●Preset cruise, pattern scanning,area scanning, 360°horizontal scanning ●Lighting protection: 4000V (three three lightning protection measures, effectively protect the camera running) ●Housing: Aluminum die casting shield ●Operating temperature: -20℃~60℃ ●Power Supply: DC12V-4A
	HAHD-TS809-BGZ2	2.0MP		Nextchip2441+SONY323 Sensor:sony IMX 323 Zoom Lens: 20X	\$176.46	



5-in-1 1080N XVR (AHD/CVI/TVI/CVBS/IPC)


Picture	Model No.	Solutions	USD/Set	Specification
	HX-RE04	4CH 5 IN 1 1080N AHD DVR (AHD/IP/CVI/TVI/CVBS)	\$27.97	Display : 4CH * 1080P (1920*1080P) camera; IP: 8*1080P; 12*960P, Blend: 2*AHD/CVI/TVI + 2*720P(IP) Playback: 4CH 1080N 12@Fps; HDD: 1*6TB , 1CH VGA/ HDMI output; Support P2P, App: XMeye
	HX-RE08	8CH 5 IN 1 1080N AHD DVR (AHD/IP/CVI/TVI/CVBS)	\$36.17	Display : 8CH * 1080P (1920*1080P) camera; IP: 8*1080P; 16*960P; 4*5MP, Blend: 4*AHD/CVI/TVI + 4*720P(IP) Playback: 4ch 1080N 12@fps; HDD: 1*6TB , 1CH VGA/ HDMI output; Support P2P, App: XMeye
	HX-RE16-V	16CH 5 IN 1 1080N AHD DVR (AHD/IP/CVI/TVI/CVBS)	\$55.86	Display : 16CH * 1080P (1920*1080P) camera; IP: 16*1080P; 16*960P; 4*5MP Blend: 8*AHD/CVI/TVI + 8*960P(IP) Playback: 4ch 1080N 12@fps; HDD: 1*6TB , 1CH VGA/ HDMI output; Support P2P, App: XMeye
 size: 440*290*50 (mm)	HX-MH32-4	16CH 5 IN 1 1080N AHD DVR (AHD/IP/CVI/TVI/CVBS)	\$195.59	Display : 32CH * 1080P (1920*1080P) camera; IP: 32*1080P; 16*3MP; 8*5MP Blend: 8*AHD/CVI/TVI 1080N +8*960P(IP) Playback quality: 16ch 1080N 15@fps, Max HDD: 2*6TB , VGA/ HDMI output Support P2P, App: XMeye Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc ;
 size: 440*400.5*60 (mm)	HX-MH32-4	32CH 5 IN 1 1080N AHD DVR (AHD/IP/CVI/TVI/CVBS)	\$230.94	Display : 32CH * 1080P (1920*1080P) camera; IP: 32*1080P; 16*3MP; 8*5MP Blend: 8*AHD/CVI/TVI 1080N +8*960P(IP) Playback quality: 16ch 1080N 15@fps, Max HDD: 4*6TB , VGA/ HDMI output Support P2P, App: XMeye Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc ;

 <p>size: 443*427.5*92 (mm)</p>	HX-MP32-8	32CH 5 in 1 1080N AHD DVR (AHD/IP/CVI/TVI/CVBS)	\$293.96	Display : 32ch * 1080P (1920*1080P) camera; IP: 32*1080P; 16*3MP; 8*5MP Blend: 8*AHD/CVI/TVI 1080N +8*960P(IP) Playback quality: 16ch 1080N 15@fps, Max HDD: 8*6TB ,VGA/ HDMI output Support P2P, App: XMeve Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc ;
--	-----------	--	----------	---

5-in-1 1080P XVR (AHD/CVI/TVI/CVBS/IPC)

	HX-TA04	4CH 1080P 5 in 1 DVR (AHD/IPC/CVI/TVI/CVBS)	\$38.23	Display : 4CH 1080P camera; IP: 8*1080P; 16*960P; 4*5MP Blend: 2*AHD/CVI/TVI/XVI + 2*1080P(IP) Playback quality: 4CH 1080P 15@fps, Max HDD: 1*6TB ,VGA/ HDMI output Support P2P, App: XMeve Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc ;
	HX-TA08	8CH 1080P 5 in 1 DVR (AHD/IPC/CVI/TVI/CVBS)	\$52.79	Display : 8CH 1080P camera; IP: 8*1080P; 16*960P; 4*5MP Blend: 4*AHD/CVI/TVI/XVI + 4*1080P(IP) Playback quality: 4CH 1080P 12@fps, Max HDD: 1*6TB ,VGA/ HDMI output Support P2P, App: XMeve Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc ;
	HX-TA16	16CH 1080P 5 in 1 DVR (AHD/IP/CVI/TVI/CVBS)	\$111.09	Display : 16CH 1080P camera; IP: 8*1080P; 16*960P; 4*5MP Blend: 4*AHD/CVI/TVI/XVI + 4*1080P(IP) Playback quality: 16CH 1080P 12@fps, Max HDD: 1*6TB ,VGA/ HDMI output Support P2P, App: XMeve Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc ;

	<p>HX-TMA08</p>	<p>8CH 5 IN 1 4MP AHD DVR (AHD/IP/CVI/TVI/CVBS)</p>	<p>\$42.06</p>	<p>Display : 8*AHD 4M-N(8fps): 8*1080N (5in1) IP: 16*1080P: 16*960P: 4*5MP Blend: 4*1080N (5in1) + 4*960P(IP) Playback quality: 8*4M-N, 8*1080N Audio: 4ch audio; Max HDD: 1*6TB, VGA/ HDMI output Support P2P, App: XMeye Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc ; 12V 2A</p>
	<p>HX-TMA16</p>	<p>16CH 5 IN 1 4MP AHD DVR (AHD/IP/CVI/TVI/CVBS)</p>	<p>\$66.99</p>	<p>Display : 16*AHD 4M-N(8fps): 16*1080N (5in1) IP: 8*1080P+8*960P: 4*4MP: 4*5MP Blend: 8*1080N (5in1) + 8*960P(IP) Playback quality: 16*4M-N, 16*1080N Audio: 2ch audio; Max HDD: 1*6TB, VGA/ HDMI output Support P2P, App: XMeye Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc ; 12V 2A</p>
	<p>HX-TMI04</p>	<p>4CH 5 IN 1 5MP AHD DVR (AHD/IP/CVI/TVI/CVBS)</p>	<p>\$56.50</p>	<p>Display : 4*AHD 5MP(11fps)/ 4MP(15fps)/3MP(18fps) 4*AHD/CVI/TVI 1080P(25fps) IP: 8*1080P+8*960P; 4*5MP Blend: 2*AHD 5MP + 2*5MP(IP) Playback quality: 4ch*5M@6fps(AHD); 4ch*4M@8fps(AHD); 4ch*1080P@15fps(5 in 1); 4*720P(5 in 1) Audio: 4ch Audio; Max HDD: 1*6TB, VGA/ HDMI output Support P2P, App: XMeye Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc ;</p>
	<p>HX-TMI08</p>	<p>8CH 5 IN 1 5MP AHD DVR (AHD/IP/CVI/TVI/CVBS)</p>	<p>\$125.53</p>	<p>8*AHD 5MP(11fps)/4MP(15fps)/3MP(18fps) 8*AHD/CVI/TVI 1080P(25fps) IP: 8*3MP; 4*5MP Blend: 4*AHD 5MP + 4*5MP(IP) Playback quality: 4ch*5M@6fps(AHD); 4ch*4M@8fps(AHD); 4ch*1080P@15fps(5 in 1); 4*720P(5 in 1) Audio: 4ch audio; Max HDD: 1*6TB, VGA/ HDMI output Support P2P, App: XMeye Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc ;</p>

 <p>size: 440*400.5*60 (mm)</p>	<p>HX-TMP32</p>	<p>32CH 5 IN 1 4MP AHD DVR (AHD/IP/CVI/TVI/CVBS)</p>	<p>\$308.80</p>	<p>Display : 32*AHD 4MP(8fps)/32*AHD 3MP(10fps) 32*AHD/CVI/TVI 1080P(15fps) 32*AHD/CVI/TVI 720P(25fps) IP: 32*1080P; 16*3MP; 8*5MP Playback quality: 16*4M@8fps(AHD); 16*3M@10fps(AHD); 16*1080P @12fps (5 in 1); Max HDD: 4*6TB, VGA/ HDMI output Support P2P, App: XMeYe Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc ;</p>
--	-----------------	--	-----------------	---

★ IMPORTANT INFORMATION - PLEASE READ

- 1) Terms of payment: As Referenced in FreeWorldImports FAQ
- 2) Time of Delivery: around 7-10 working days upon receipts of payment.
- 3) Warranty: 24 Months for cameras
- 5) Sample Order, No MOQ Limit; from the second order the camera MOQ is 50pcs