









4-in-1 & AHD Camera & XVR Price List




FreeWorldImports
 309 Fellowship Road, East Gate Center, Suite 200, Mount Laurel, New Jersey 08054
 Tel: +609-318-0570 https://freeworldimports.com Email: bizdev@freeworldimports.com







 MOQ 50pcs General Features: △Metal Housing, IP66 △2pcs IR Array LED, 2 White Light △IR Distance: 20-25m △3.6mm HD Fixed Lens *CE, FCC, ROHS Approved	H41-PIR6020A-NS	2.0M P	4 in 1	V30(FH8536E)+SONY323	\$27.60	 <p>1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD</p>
	H41-PIR6020G-FS			Nextchip2441H+SONY323	\$29.90	 <p>1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD</p>

※ 180° Super Wide Angle 4 In 1 Camera




 General Features: △Metal Housing △5X12pcs IR LED △IR Distance: 20-25m △1.8mm SMP Lens 180° Super Wide Camera *CE, FCC, ROHS Approved	H41-PA20A54-X	2.0M P	AHD/TVI /CVI/CVBS 4-in-1	V30(FH8536E)+F22	\$19.93	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-PA20A54			V30(FH8536E)+SONY323	\$20.83	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-PA20A54-SN			Nextchip2441H+SONY323	\$21.71	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-PA20A54-VS			Nextchip2441H+SONY307	\$26.02	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-PA20A54-NS			Nextchip2441H+SONY291	\$27.56	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-PA20A54-FS			FH8550M+SONY290	\$30.18	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
 General Features: △Plastic Housing △5X12pcs IR LED △IR Distance: 20-25m △1.8mm SMP Lens 180° Super Wide Camera *CE, FCC, ROHS Approved	H41-PN20A54-X	2.0M P	AHD/TVI /CVI/CVBS 4-in-1	V30(FH8536E)+F22	\$19.93	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-PN20A54			V30(FH8536E)+SONY323	\$20.83	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-PN20A54-SN			Nextchip2441H+SONY323	\$21.71	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-PN20A54-VS			Nextchip2441H+SONY307	\$26.02	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-PN20A54-NS			Nextchip2441H+SONY291	\$27.56	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-PN20A54-FS			FH8550M+SONY290	\$30.18	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
 General Features: △Plastic Housing △5X12pcs IR LED △IR Distance: 20-25m △1.8mm SMP Lens 180° Super Wide Camera *CE, FCC, ROHS Approved	H41-PR6020A54-X	2.0M P	AHD/TVI /CVI/CVBS 4-in-1	V30(FH8536E)+F22	\$21.06	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-PR6020A54			V30(FH8536E)+SONY323	\$21.93	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-PR6020A54-SN			Nextchip2441H+SONY323	\$22.80	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-PR6020A54-VS			Nextchip2441H+SONY307	\$27.12	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-PR6020A54-NS			Nextchip2441H+SONY291	\$28.65	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-PR6020A54-FS			FH8550M+SONY290	\$31.28	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD







※ Plastic Dome Fixed Lens 4-in-1 AHD Cameras







Picture	Model No.	Megapixel	Type	Solutions	USD/Set	Descriptions	
 <p>General Features: △ Plastic Housing △ 5x12pcs IR LED △ IR Distance: 20-25m △ 3.6mm HD Fixed Lens Size: Ø90x70mm Weight: 0.25kg *CE, FCC, ROHS Approved</p>	HAHD-PD1210A-X	1.0MP	AHD	XM310+H62	\$6.65	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR	
	HAHD-PD1210A			Nextchip2433H+OV9732	\$7.26	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-PD1213A-X	1.3MP		V20(FH8532E)+GC1064	\$8.56	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-PD1213A			V20(FH8532E)+SC1135	\$9.88	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-PD1213A-SN	Nextchip2431H+SONY225		\$13.96	1/3"; 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, DWDR, 3D NR, IR-CUT, Sensor-up		
	HAHD-PD1220A-X	2.0MP		XM320+F22	\$9.34	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	HA1-PD1220A-VF	2.0MP	AHD/TVI/CVI/CVBS 4-in-1	V30(FH8536E)+F22	\$10.48	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD	
	HA1-PD1220A			V30(FH8536E)+SONY323	\$12.05	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD	
	HA1-PD1220A-SN			Nextchip2441H+SONY323	\$12.95	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD	
	HA1-PD1220A-VS			Nextchip2441H+SONY307	\$20.20	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 2D NR, IR-CUT, Sensor-up, OSD	
	HA1-PD1220A-NS			Nextchip2441H+SONY291	\$21.71	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	HA1-PD1220A-FS			FH8550M+SONY290	\$24.30	1/2.8"; 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	HAHD-PD1240A-X	4.0MP	AHD	FH8538M+OV4689	\$16.33	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-PD1240A			Nextchip2475H+OV4689	\$17.26	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-PD1250A-X	5.0MP	TVI/AHD 2-in-1	Nextchip 2475H+ SOI K03	\$17.70	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
	HAHD-PD1250A			Nextchip2475H+SONY326	\$19.27	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	 <p>General Features: △ Plastic Housing △ 5x12pcs IR LED △ IR Distance: 20-25m △ 3.6mm HD Fixed Lens Size: Ø90x70mm Weight: 0.25kg *CE, FCC, ROHS Approved</p>	HAHD-PD1210B-X	1.0MP	AHD	XM310+H62	\$6.87	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
		HAHD-PD1210B			Nextchip2433H+OV9732	\$7.37	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-PD1213B-X		1.3MP	V20(FH8532E)+GC1064		\$8.67	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
HAHD-PD1213B			V20(FH8532E)+SC1135		\$9.99	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
HAHD-PD1213B-SN		Nextchip2431H+SONY225	\$14.06		1/3"; 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, DWDR, 3D NR, IR-CUT, Sensor-up		
HAHD-PD1220B-X		2.0MP	XM320+F22		\$9.45	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
HA1-PD1220B-VF		2.0MP	AHD/TVI/CVI/CVBS 4-in-1	V30(FH8536E)+F22	\$10.58	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD	
HA1-PD1220B				V30(FH8536E)+SONY323	\$12.15	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD	
HA1-PD1220B-SN				Nextchip2441H+SONY323	\$13.06	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD	
HA1-PD1220B-VS				Nextchip2441H+SONY307	\$20.31	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 2D NR, IR-CUT, Sensor-up, OSD	
HA1-PD1220B-NS				Nextchip2441H+SONY291	\$21.82	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD	
HA1-PD1220B-FS				FH8550M+SONY290	\$24.40	1/2.8"; 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD	
HAHD-PD1240B-X		4.0MP	AHD	FH8538M+OV4689	\$16.43	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
HAHD-PD1240B				Nextchip2475H+OV4689	\$17.37	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
HAHD-PD1250B-X		5.0MP	TVI/AHD 2-in-1	Nextchip 2475H+ SOI K03	\$17.81	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
HAHD-PD1250B				Nextchip2475H+SONY326	\$19.38	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
 <p>General Features: △ Plastic Housing △ 3pcs Array IR LED △ IR Distance: 20-25m △ 3.6mm HD Fixed Lens Size: Ø110x90mm Weight: 0.25kg *CE, FCC, ROHS Approved</p>		HAHD-PD3010G-X	1.0MP	AHD	XM310+H62	\$7.89	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
		HAHD-PD3010G			Nextchip2433H+OV9732	\$8.42	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-PD3013G-X	1.3MP	V20(FH8532E)+GC1064		\$9.23	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-PD3013G		V20(FH8532E)+SC1135		\$10.86	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-PD3013G-SN	Nextchip2431H+SONY225	\$15.55		1/3"; 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, DWDR, 3D NR, IR-CUT, Sensor-up		
	HAHD-PD3020G-X	2.0MP	XM320+F22		\$10.29	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	HA1-PD3020G-VF	2.0MP	AHD/TVI/CVI/CVBS 4-in-1	V30(FH8536E)+F22	\$11.62	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD	
	HA1-PD3020G			V30(FH8536E)+SONY323	\$13.11	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD	
	HA1-PD3020G-SN			Nextchip2441H+SONY323	\$13.97	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD	
	HA1-PD3020G-VS			Nextchip2441H+SONY307	\$21.53	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 2D NR, IR-CUT, Sensor-up, OSD	
	HA1-PD3020G-NS			Nextchip2441H+SONY291	\$23.07	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	HA1-PD3020G-FS			FH8550M+SONY290	\$25.69	1/2.8"; 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	HAHD-PD3040G-X	4.0MP	AHD	FH8538M+OV4689	\$17.59	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-PD3040G			Nextchip2475H+OV4689	\$18.25	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-PD3050G-X	5.0MP	TVI/AHD 2-in-1	Nextchip 2475H+ SOI K03	\$18.68	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
	HAHD-PD3050G			Nextchip2475H+SONY326	\$21.09	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	

  <p>General Features: △ Plastic Housing △ 5X36pcs IR LED △ IR Distance: 20-25m △ 3.6mm HD Fixed Lens Size: Ø90x70mm Weight: 0.25kg *CE, FCC, ROHS Approved</p>	HAHD-PD2410D-X	1.0MP	AHD	XM310+H62	\$7.09	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-PD2410D	1.3MP		Nextchip2433H+OV9732	\$7.73	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-PD2413D-X			V20(FH8532E)+GC1064	\$9.05	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-PD2413D			V20(FH8532E)+SC1135	\$10.36	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-PD2413D-SN			Nextchip2431H+SONY225	\$14.42	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up
	HAHD-PD2420D-X	2.0MP	XM320+F22	\$9.80	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	H41-PD2420D-VF	2.0MP	AHD/TVI/CVI/CVBS 4-in-1	V30(FH8536E)+F22	\$10.94	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-PD2420D			V30(FH8536E)+SONY323	\$12.51	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-PD2420D-SN			Nextchip2441H+SONY323	\$13.42	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-PD2420D-VS			Nextchip2441H+SONY307	\$20.68	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-PD2420D-NS			Nextchip2441H+SONY291	\$22.19	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-PD2420D-FS			FH8550M+SONY290	\$24.77	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-PD2440D-X	4.0MP	TVI/AHD 2-in-1	FH8538M+OV4689	\$16.80	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-PD2440D			Nextchip2475H+OV4689	\$17.74	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-PD2450D-X	5.0MP	TVI/AHD 2-in-1	Nextchip 2475H+ SOI K03	\$18.18	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
HAHD-PD2450D			Nextchip2475H+SONY326	\$19.73	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
  <p>General Features: △ Plastic Housing △ 5X24pcs IR LED △ IR Distance: 20-25m △ 3.6mm HD Fixed Lens Size: Ø90x70mm Weight: 0.25kg *CE, FCC, ROHS Approved</p>	HAHD-PD2410F-X	1.0MP	AHD	XM310+H62	\$6.81	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-PD2410F	1.3MP		Nextchip2433H+OV9732	\$7.43	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-PD2413F-X			V20(FH8532E)+GC1064	\$8.74	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-PD2413F			V20(FH8532E)+SC1135	\$10.05	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-PD2413F-SN			Nextchip2431H+SONY225	\$14.13	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up
	HAHD-PD2420F-SN	2.0MP	AHD/TVI/CVI/CVBS 4-in-1	NextChip2441+SONY323	\$12.56	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-PD2420F-VF			V30(FH8536E)+F22	\$10.64	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-PD2420F			V30(FH8536E)+SONY323	\$12.22	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-PD2420F-SN			Nextchip2441H+SONY323	\$13.12	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-PD2420F-VS			Nextchip2441H+SONY307	\$20.38	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-PD2420F-NS			Nextchip2441H+SONY291	\$21.88	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-PD2420F-FS	FH8550M+SONY290	\$24.47	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD		
	HAHD-PD2440F-X	4.0MP	TVI/AHD 2-in-1	FH8538M+OV4689	\$16.50	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-PD2440F			Nextchip2475H+OV4689	\$17.44	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-PD2450F-X	5.0MP	TVI/AHD 2-in-1	Nextchip 2475H+ SOI K03	\$17.87	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
HAHD-PD2450F			Nextchip2475H+SONY326	\$19.44	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
  <p>General Features: △ Plastic Housing △ 2pcs Array IR LED △ IR Distance: 20-25m △ 3.6mm HD Fixed Lens Size: Ø108x74mm Weight: 0.25kg *CE, FCC, ROHS Approved</p>	HAHD-PD2010H-X	1.0MP	AHD	XM310+H62	\$7.79	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-PD2010H	1.3MP		Nextchip2433H+OV9732	\$8.31	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-PD2013H-X			V20(FH8532E)+GC1064	\$9.13	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-PD2013H			V20(FH8532E)+SC1135	\$10.76	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-PD2013H-SN			Nextchip2431H+SONY225	\$15.44	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up
	HAHD-PD2020H-X	2.0MP	XM320+F22	\$10.18	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	H41-PD2020H-VF	2.0MP	AHD/TVI/CVI/CVBS 4-in-1	V30(FH8536E)+F22	\$11.51	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-PD2020H			V30(FH8536E)+SONY323	\$13.01	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-PD2020H-SN			Nextchip2441H+SONY323	\$13.86	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-PD2020H-VS			Nextchip2441H+SONY307	\$21.42	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-PD2020H-NS			Nextchip2441H+SONY291	\$22.96	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-PD2020H-FS			FH8550M+SONY290	\$25.58	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-PD2040H-X	4.0MP	TVI/AHD 2-in-1	FH8538M+OV4689	\$17.48	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-PD2040H			Nextchip2475H+OV4689	\$18.14	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-PD2050H-X	5.0MP	TVI/AHD 2-in-1	Nextchip 2475H+ SOI K03	\$18.58	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
HAHD-PD2050H			Nextchip2475H+SONY326	\$20.98	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	





※Metal Dome Fixed Lens 4-in-1 AHD Cameras

Picture	Model No.	Megapixel	Type	Solutions	USD/Set	Descriptions
 <p>General Features: △Metal & Plastic Housing △2pcs Array IR LED △IR Distance: 20-25m △3.6mm HD Fixed Lens Size: Ø107*82mm Weight: 0.45kg *CE, FCC, ROHS Approved</p>	HAHD-MD3010S-X	1.0MP	AHD	XM310+H62	\$9.57	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MD3010S			Nextchip2433H+OV9732	\$10.32	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MD3013S-X			V20(FH8532E)+GC1064	\$11.11	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MD3013S	1.3MP		V20(FH8532E)+SC1135	\$12.62	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MD3013S-SN		Nextchip2431H+SONY225	\$17.30	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-MD3020S-X	2.0MP		XM320+F22	\$12.38	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MD3020S-VF			V30(FH8536E)+F22	\$13.10	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MD3020S			V30(FH8536E)+SONY323	\$14.70	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MD3020S-SN	2.0MP		Nextchip2441H+SONY323	\$15.68	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MD3020S-VS			Nextchip2441H+SONY307	\$23.28	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MD3020S-NS			Nextchip2441H+SONY291	\$24.82	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MD3020S-FS			FH8550M+SONY290	\$27.45	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-MD3040S-X	4.0MP		FH8538M+OV4689	\$19.34	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MD3040S			Nextchip2475H+OV4689	\$20.00	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-MD3050S-X	5.0MP		Nextchip 2475H+ SOI K03	\$20.78	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
HAHD-MD3050S			Nextchip2475H+SONY326	\$22.85	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
 <p>General Features: △Metal Housing, Vandalproof △18pcs SMT SMART IR LED △IR Distance: 20-25m △3.6mm HD Fixed Lens Size: Ø93*80mm Weight: 0.45kg *CE, FCC, ROHS Approved</p>	HAHD-MD2410X-X	1.0MP	AHD	XM310+H62	\$9.85	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MD2410X			Nextchip2433H+OV9732	\$10.60	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MD2413X-X			V20(FH8532E)+GC1064	\$11.39	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MD2413X	1.3MP		V20(FH8532E)+SC1135	\$12.90	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MD2413X-SN		Nextchip2431H+SONY225	\$17.59	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-MD2420X-X	2.0MP		XM320+F22	\$12.66	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MD2420X-VF			V30(FH8536E)+F22	\$13.37	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MD2420X			V30(FH8536E)+SONY323	\$14.97	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MD2420X-SN	2.0MP		Nextchip2441H+SONY323	\$15.95	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MD2420X-VS			Nextchip2441H+SONY307	\$23.57	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MD2420X-NS			Nextchip2441H+SONY291	\$25.10	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MD2420X-FS			FH8550M+SONY290	\$27.73	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-MD2440S-X	4.0MP		FH8538M+OV4689	\$19.63	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MD2440S			Nextchip2475H+OV4689	\$20.28	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-MD2450X-X	5.0MP		Nextchip 2475H+ SOI K03	\$21.07	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
HAHD-MD2450X			Nextchip2475H+SONY326	\$23.13	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
 <p>General Features: △Metal Housing, Vandalproof △18pcs SMT SMART IR LED △IR Distance: 20-25m △3.6mm HD Fixed Lens Size: Ø93*80mm Weight: 0.45kg *CE, FCC, ROHS Approved</p>	HAHD-MD2410D-X	1.0MP	AHD	XM310+H62	\$9.85	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MD2410D			Nextchip2433H+OV9732	\$10.60	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MD2413D-X			V20(FH8532E)+GC1064	\$11.39	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MD2413D	1.3MP		V20(FH8532E)+SC1135	\$12.90	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MD2413D-SN		Nextchip2431H+SONY225	\$17.59	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-MD2420D-X	2.0MP		XM320+F22	\$12.66	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MD2420D-VF			V30(FH8536E)+F22	\$13.37	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MD2420D			V30(FH8536E)+SONY323	\$14.97	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MD2420D-SN	2.0MP		Nextchip2441H+SONY323	\$15.95	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MD2420D-VS			Nextchip2441H+SONY307	\$23.57	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MD2420D-NS			Nextchip2441H+SONY291	\$25.10	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MD2420D-FS			FH8550M+SONY290	\$27.73	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-MD2440D-X	4.0MP		FH8538M+OV4689	\$19.63	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MD2440D			Nextchip2475H+OV4689	\$20.28	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-MD2450D-X	5.0MP		Nextchip 2475H+ SOI K03	\$21.07	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
HAHD-MD2450D			Nextchip2475H+SONY326	\$23.13	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	


  <p>General Features: △Metal Housing, Vandalproof △1pcs Array IR LED △IR Distance: 20-25m △3.6mm HD Fixed Lens Size: Ø115*92mm Weight: 0.55kg *CE, FCC, ROHS Approved</p>	HAHD-MDS210G-X	1.0MP	AHD	XM310+H62	\$11.00	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MDS210G	1.3MP		Nextchip2433H+OV9732	\$11.81	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MDS213G-X			V20(FH8532E)+GC1064	\$12.58	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MDS213G			V20(FH8532E)+SC1135	\$14.11	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MDS213G-SN			Nextchip2431H+SONY225	\$18.79	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, DWDR, 3D NR, IR-CUT, Sensor-up
	HAHD-MDS220G-X			XM320+F22	\$13.86	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MDS220G-VF	2.0MP	AHD/TVI/CVI/CVBS 4 in-1	V30(FH8536E)+F22	\$14.53	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MDS220G			V30(FH8536E)+SONY323	\$16.14	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MDS220G-VS			Nextchip2441H+SONY323	\$17.13	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MDS220G-VS			Nextchip2441H+SONY307	\$24.77	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MDS220G-NS			Nextchip2441H+SONY291	\$26.31	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MDS220G-FS			FH8550M+SONY290	\$28.94	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-MDS240G-X	4.0MP	TVI/AHD 2-in-1	FH8538M+OV4689	\$20.83	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MDS240G			Nextchip2475H+OV4689	\$21.49	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MDS250G-X			Nextchip 2475H+ SOI K03	\$22.29	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
	HAHD-MDS250G			Nextchip2475H+SONY326	\$24.34	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
  <p>General Features: △Metal Housing, Vandalproof △5*36pcs IR LED △IR Distance: 20-25m △3.6mm HD Fixed Lens Size: Ø115*92mm Weight: 0.55kg *CE, FCC, ROHS Approved</p>	HAHD-MD3610R-X	1.0MP	AHD	XM310+H62	\$12.47	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MD3610R	1.3MP		Nextchip2433H+OV9732	\$13.34	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MD3613R-X			V20(FH8532E)+GC1064	\$14.09	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MD3613R			V20(FH8532E)+SC1135	\$15.64	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MD3613R-SN			Nextchip2431H+SONY225	\$20.33	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, DWDR, 3D NR, IR-CUT, Sensor-up
	HAHD-MD3620R-X			XM320+F22	\$15.38	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MD3620R-VF	2.0MP	AHD/TVI/CVI/CVBS 4 in-1	V30(FH8536E)+F22	\$16.00	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MD3620R			V30(FH8536E)+SONY323	\$17.62	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MD3620R-SN			Nextchip2441H+SONY323	\$18.62	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MD3620R-VS			Nextchip2441H+SONY307	\$26.31	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MD3620R-NS			Nextchip2441H+SONY291	\$27.84	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MD3620R-FS			FH8550M+SONY290	\$30.47	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-MD3640R-X	4.0MP	TVI/AHD 2-in-1	FH8538M+OV4689	\$22.36	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MD3640R			Nextchip2475H+OV4689	\$23.05	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MD3650R-X			Nextchip 2475H+ SOI K03	\$23.82	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
	HAHD-MD3650R			Nextchip2475H+SONY326	\$25.87	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
  <p>General Features: △Metal Housing, Vandalproof △5*10pcs IR LED △IR Distance: 15-20m △3.6mm HD Fixed Lens Size: Ø99*46mm Weight: 0.55kg *CE, FCC, ROHS Approved</p>	HAHD-MDS310B-X	1.0MP	AHD	XM310+H62	\$10.80	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MDS310B	1.3MP		Nextchip2433H+OV9732	\$11.13	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MDS313B-X			V20(FH8532E)+GC1064	\$12.11	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MDS313B			V20(FH8532E)+SC1135	\$13.43	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MDS313B-SN			Nextchip2431H+SONY225	\$18.87	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, DWDR, 3D NR, IR-CUT, Sensor-up
	HAHD-MDS320B-X			XM320+F22	\$13.30	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MDS320B-VF	2.0MP	AHD/TVI/CVI/CVBS 4 in-1	V30(FH8536E)+F22	\$14.48	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MDS320B			V30(FH8536E)+SONY323	\$16.28	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MDS320B-SN			Nextchip2441H+SONY323	\$17.17	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MDS320B-VS			Nextchip2441H+SONY307	\$25.10	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MDS320B-NS			Nextchip2441H+SONY291	\$26.06	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MDS320B-FS			FH8550M+SONY290	\$29.43	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-MDS340B-X	4.0MP	TVI/AHD 2-in-1	FH8538M+OV4689	\$20.15	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MDS340B			Nextchip2475H+OV4689	\$20.81	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MDS350B-X			Nextchip 2475H+ SOI K03	\$21.25	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
	HAHD-MDS350B			Nextchip2475H+SONY326	\$23.66	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD


  <p>General Features: △Metal Housing, Vandalproof △Φ5*12pcs IR LED △IR Distance: 20-25m △3.6mm HD Fixed Lens Size: Φ118*65mm Weight: 0.55kg *CE, FCC, ROHS Approved</p>	HAHD-MDS410L-X	1.0MP	AHD	XM310+H62	\$11.96	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MDS410L	1.3MP		Nextchip2433H+OV9732	\$12.29	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MDS413L-X			V20(FH8532E)+GC1064	\$13.27	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MDS413L			V20(FH8532E)+SC1135	\$14.59	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MDS413L-SN	Nextchip2431H+SONY225	\$20.08	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, DWDR, 3D NR, IR-CUT, Sensor-up		
	HAHD-MDS420L-X	2.0MP	AHD/TVI/CVI/CVBS 4 in-1	XM320+F22	\$14.46	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MDS420L-VF	2.0MP		V30(FH8536E)+F22	\$15.64	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MDS420L			V30(FH8536E)+SONY323	\$17.46	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MDS420L-VS			Nextchip2441H+SONY323	\$18.35	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MDS420L-VS	2.0MP	Nextchip2441H+SONY307	\$26.31	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 2D NR, IR-CUT, Sensor-up, OSD	
	H41-MDS420L-NS		Nextchip2441H+SONY291	\$27.24	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	H41-MDS420L-FS	4.0MP	FH8550M+SONY290	\$30.64	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	HAHD-MDS440L-X		FH8538M+OV4689	\$21.31	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-MDS440L	4.0MP	Nextchip2475H+OV4689	\$21.97	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
HAHD-MDS450L-X	5.0MP		Nextchip 2475H+ SOI K03	\$22.41	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
HAHD-MDS450L		Nextchip2475H+SONY326	\$24.82	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD		
  <p>General Features: △Metal Housing, Vandalproof △Φ5*15pcs IR LED △IR Distance: 20-25m △3.6mm HD Fixed Lens Size: 102x75(H)mm Weight: 0.5kg *CE, FCC, ROHS Approved</p>	HAHD-MDS410N-X	1.0MP	AHD	XM310+H62	\$11.85	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MDS410N	1.3MP		Nextchip2433H+OV9732	\$12.18	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MDS413N-X			V20(FH8532E)+GC1064	\$13.16	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MDS413N			V20(FH8532E)+SC1135	\$14.48	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MDS413N-SN	Nextchip2431H+SONY225	\$19.97	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, DWDR, 3D NR, IR-CUT, Sensor-up		
	HAHD-MDS420N-X	2.0MP	AHD/TVI/CVI/CVBS 4 in-1	XM320+F22	\$14.35	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MDS420N-VF	2.0MP		V30(FH8536E)+F22	\$15.53	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MDS420N			V30(FH8536E)+SONY323	\$17.35	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MDS420N-SN			Nextchip2441H+SONY323	\$18.24	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MDS420N-VS	2.0MP	Nextchip2441H+SONY307	\$26.19	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 2D NR, IR-CUT, Sensor-up, OSD	
	H41-MDS420N-NS		Nextchip2441H+SONY291	\$27.12	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	H41-MDS420N-FS	4.0MP	FH8550M+SONY290	\$30.53	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	HAHD-MDS440N-X		FH8538M+OV4689	\$21.20	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-MDS440N	4.0MP	Nextchip2475H+OV4689	\$21.86	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
HAHD-MDS450N-X	5.0MP		Nextchip 2475H+ SOI K03	\$22.30	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
HAHD-MDS450N		Nextchip2475H+SONY326	\$24.71	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD		
  <p>General Features: △Metal Housing, Vandalproof △Φ5*15pcs IR LED △IR Distance: 20-25m △3.6mm HD Fixed Lens size: Φ105x80cm Weight: 0.5kg *CE, FCC, ROHS Approved</p>	HAHD-MDS410W-X	1.0MP	AHD	XM310+H62	\$11.74	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MDS410W	1.3MP		Nextchip2433H+OV9732	\$12.07	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MDS413W-X			V20(FH8532E)+GC1064	\$13.06	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MDS413W			V20(FH8532E)+SC1135	\$14.37	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MDS413W-SN	Nextchip2431H+SONY225	\$19.85	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, DWDR, 3D NR, IR-CUT, Sensor-up		
	HAHD-MDS420W-X	2.0MP	AHD/TVI/CVI/CVBS 4 in-1	XM320+F22	\$14.24	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MDS420W-VF	2.0MP		V30(FH8536E)+F22	\$15.42	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MDS420W			V30(FH8536E)+SONY323	\$17.24	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MDS420W-SN			Nextchip2441H+SONY323	\$18.13	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MDS420W-VS	2.0MP	Nextchip2441H+SONY307	\$26.08	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 2D NR, IR-CUT, Sensor-up, OSD	
	H41-MDS420W-NS		Nextchip2441H+SONY291	\$27.01	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	H41-MDS420W-FS	4.0MP	FH8550M+SONY290	\$30.42	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	HAHD-MDS440W-X		FH8538M+OV4689	\$21.09	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-MDS440W	4.0MP	Nextchip2475H+OV4689	\$21.75	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
HAHD-MDS450W-X	5.0MP		Nextchip 2475H+ SOI K03	\$22.19	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
HAHD-MDS450W		Nextchip2475H+SONY326	\$24.60	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD		

※ Dome Varifocal Lens Cameras(2.8-12mm)



Picture	Model No.	Megapixel	Type	Solutions	USD/Set	Descriptions
 <p>General Features: △Plastic Housing △5~21pcs IR LED △IR Distance: 20-25m △2.8-12mm varifocal Lens Size: Φ130*100mm Weight: 0.3kg *CE, FCC, ROHS Approved</p>	HAHD-PZD3610A-X	1.0MP	AHD	XM310+H62	\$14.69	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-PZD3610A			Nextchip2433H+OV9732	\$15.66	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-PZD3613A-X			V20(FH8532E)+GC1064	\$16.37	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-PZD3613A	V20(FH8532E)+SC1135		\$17.96	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-PZD3613A-SN	Nextchip2431H+SONY225		\$22.56	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-PZD3620A-X	XM320+F22		\$17.60	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	H41-PZD3620A-VF	V30(FH8536E)+F22	\$18.14	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD		
	H41-PZD3620A	V30(FH8536E)+SONY323	\$18.93	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD		
	H41-PZD3620A-SN	Nextchip2441H+SONY323	\$20.80	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD		
	H41-PZD3620A-VS	Nextchip2441H+SONY307	\$25.65	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD		
	H41-PZD3620A-NS	Nextchip2441H+SONY291	\$27.18	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD		
	H41-PZD3620A-FS	FH8550M+SONY290	\$29.81	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD		
	HAHD-PZD3640A-X	FH8538M+OV4689	\$23.24	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD		
	HAHD-PZD3640A	Nextchip2475H+OV4689	\$23.90	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD		
	HAHD-PZD3650A-X	Nextchip 2475H+ SOI K03	\$24.74	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD		
HAHD-PZD3650A	Nextchip2475H+SONY326	\$26.75	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD			
 <p>General Features: △Metal Housing, V and anti-proof △Φ5~36pcs IR LED △IR Distance: 30-35m △2.8-12mm Varifocal Lens Size: Φ119*105 Weight: 0.65kg *CE, FCC, ROHS Approved</p>	HAHD-MZD3610B-X	1.0MP	AHD	XM310+H62	\$19.50	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MZD3610B			Nextchip2433H+OV9732	\$19.82	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZD3613B-X			V20(FH8532E)+GC1064	\$20.81	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZD3613B	V20(FH8532E)+SC1135		\$22.12	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MZD3613B-SN	Nextchip2431H+SONY225		\$27.84	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-MZD3620B-X	XM320+F22		\$21.90	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	H41-MZD3620B-VF	V30(FH8536E)+F22	\$23.09	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD		
	H41-MZD3620B	V30(FH8536E)+SONY323	\$25.03	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD		
	H41-MZD3620B-SN	Nextchip2441H+SONY323	\$25.92	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD		
	H41-MZD3620B-VS	Nextchip2441H+SONY307	\$31.05	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD		
	H41-MZD3620B-NS	Nextchip2441H+SONY291	\$31.87	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD		
	H41-MZD3620B-FS	FH8550M+SONY290	\$35.39	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD		
	HAHD-MZD3640B-X	FH8538M+OV4689	\$27.40	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD		
	HAHD-MZD3640B	Nextchip2475H+OV4689	\$28.06	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD		
	HAHD-MZD3650B-X	Nextchip 2475H+ SOI K03	\$28.50	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD		
HAHD-MZD3650B	Nextchip2475H+SONY326	\$30.91	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD			
 <p>General Features: △Metal Housing, V and anti-proof △Φ5~36pcs IR LED △IR Distance: 30-35m △2.8-12mm Varifocal Lens Size: Φ119*105 Weight: 0.65kg *CE, FCC, ROHS Approved</p>	HAHD-MZD3610C-X	1.0MP	AHD	XM310+H62	\$19.50	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MZD3610C			Nextchip2433H+OV9732	\$19.82	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZD3613C-X			V20(FH8532E)+GC1064	\$20.81	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZD3613C	V20(FH8532E)+SC1135		\$22.12	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MZD3613C-SN	Nextchip2431H+SONY225		\$27.84	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-MZD3620C-X	XM320+F22		\$21.90	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	H41-MZD3620C-VF	V30(FH8536E)+F22	\$23.09	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD		
	H41-MZD3620C	V30(FH8536E)+SONY323	\$25.03	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD		
	H41-MZD3620C-SN	Nextchip2441H+SONY323	\$25.92	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD		
	H41-MZD3620C-VS	Nextchip2441H+SONY307	\$31.05	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD		
	H41-MZD3620C-NS	Nextchip2441H+SONY291	\$31.87	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD		
	H41-MZD3620C-FS	FH8550M+SONY290	\$35.39	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD		
	HAHD-MZD3640C-X	FH8538M+OV4689	\$27.40	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD		
	HAHD-MZD3640C	Nextchip2475H+OV4689	\$28.06	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD		
	HAHD-MZD3650C-X	Nextchip 2475H+ SOI K03	\$28.50	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD		
HAHD-MZD3650C	Nextchip2475H+SONY326	\$30.91	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD			
 <p>General Features: △Metal Housing, V and anti-proof △Φ5~36pcs IR LED △IR Distance: 30-35m △2.8-12mm Varifocal Lens Size: Φ119*105 Weight: 0.65kg *CE, FCC, ROHS Approved</p>	HAHD-MZD3610D-X	1.0MP	AHD	XM310+H62	\$19.50	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MZD3610D			Nextchip2433H+OV9732	\$19.82	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZD3613D-X			V20(FH8532E)+GC1064	\$20.81	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZD3613D	V20(FH8532E)+SC1135		\$22.12	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MZD3613D-SN	Nextchip2431H+SONY225		\$27.84	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-MZD3620D-X	XM320+F22		\$21.90	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
H41-MZD3620D-VF	V30(FH8536E)+F22	\$23.09	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD			



<p>General Features: △Metal Housing, V andalproof △Φ5*36pcs IR LED △IR Distance: 30-35m △2.8-12mm Varifocal Lens Size: Φ125*105 Weight: 0.65kg *CE, FCC, ROHS Approved</p>	H41-MZD3620D	<p>2.0MP</p> <p>AHD/TVI/CVI/CVBS 4 in-1</p>	V30(FH8536E)+SONY323	\$25.03	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD				
	H41-MZD3620D-SN		Nextchip2441H+SONY323	\$25.92	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD				
	H41-MZD3620D-VS		Nextchip2441H+SONY307	\$31.05	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sense-up, OSD				
	H41-MZD3620D-NS		Nextchip2441H+SONY291	\$31.87	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sense-up, OSD				
	H41-MZD3620D-FS		FH8550M+SONY290	\$35.39	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sense-up, OSD				
	HAHD-MZD3640D-X		<p>4.0MP</p>	FH8538M+OV4689	\$27.40	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD			
	HAHD-MZD3640D			Nextchip2475H+OV4689	\$28.06	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD			
	HAHD-MZD3650D-X			<p>5.0MP</p>	Nextchip 2475H+ SOI K03	\$28.50	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD		
	HAHD-MZD3650D				Nextchip2475H+SONY326	\$30.91	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD		
	<p>General Features: △Metal Housing, V andalproof △Φ5*36pcs IR LED △IR Distance: 30-35m △2.8-12mm Varifocal Lens Size: Φ119*105 Weight: 0.65kg *CE, FCC, ROHS Approved</p>				HAHD-MZD3610W-X	<p>1.0MP</p>	XM310+H62	\$19.50	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
HAHD-MZD3610W		Nextchip2433H+OV9732			\$19.82		1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up		
HAHD-MZD3613W-X		<p>1.3MP</p>			V20(FH8532E)+GC1064		\$20.81	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
HAHD-MZD3613W-SN					V20(FH8532E)+SC1135		\$22.12	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
HAHD-MZD3620W-X					<p>2.0MP</p>		Nextchip2431H+SONY225	\$27.84	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sense-up
H41-MZD3620W-VF							V30(FH8536E)+F22	\$23.09	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
H41-MZD3620W			V30(FH8536E)+SONY323				\$25.03	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD	
H41-MZD3620D-SN			Nextchip2441H+SONY323				\$25.92	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD	
H41-MZD3620D-VS			Nextchip2441H+SONY307	\$31.05			1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sense-up, OSD		
H41-MZD3620D-NS			Nextchip2441H+SONY291	\$31.87			1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sense-up, OSD		
H41-MZD3620D-FS	FH8550M+SONY290		\$35.39	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sense-up, OSD					
HAHD-MZD3640W-X	<p>4.0MP</p>		FH8538M+OV4689	\$27.40		1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD			
HAHD-MZD3640W		Nextchip2475H+OV4689	\$28.06	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD					
HAHD-MZD3650W-X		<p>5.0MP</p>	Nextchip 2475H+ SOI K03	\$28.50		1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD			
HAHD-MZD3650W			Nextchip2475H+SONY326	\$30.91	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD				
<p>General Features: △Metal Housing, V andalproof △Φ5*30pcs IR LED △IR Distance: 30-35m △2.8-12mm Varifocal Lens Size: Φ14.1x10.1cm Weight: 0.65kg *CE, FCC, ROHS Approved</p>			HAHD-MZD5M10G-X	<p>1.0MP</p>	XM310+H62	\$23.48	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR		
			HAHD-MZD5M10G		Nextchip2433H+OV9732	\$23.81	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up		
			HAHD-MZD5M13G-X		<p>1.3MP</p>	V20(FH8532E)+GC1064	\$24.80	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
			HAHD-MZD5M13G			V20(FH8532E)+SC1135	\$26.11	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
			HAHD-MZD5M13G-SN			<p>2.0MP</p>	Nextchip2431H+SONY225	\$31.99	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sense-up
			HAHD-MZD5M20G-X				XM320+F22	\$25.89	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MZD5M20G-VF		V30(FH8536E)+F22				\$27.07	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD	
	H41-MZD5M20G		V30(FH8536E)+SONY323				\$29.08	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD	
	H41-MZD5M20G-SN	Nextchip2441H+SONY323	\$29.98				1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD		
	H41-MZD5M20G-VS	Nextchip2441H+SONY307	\$35.21				1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sense-up, OSD		
H41-MZD5M20G-NS	Nextchip2441H+SONY291	\$35.92	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sense-up, OSD						
H41-MZD5M20G-FS	FH8550M+SONY290	\$39.54	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sense-up, OSD						
HAHD-MZD5M40G-X	<p>4.0MP</p>	FH8538M+OV4689	\$31.39	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD					
HAHD-MZD5M40G		Nextchip2475H+OV4689	\$32.05	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD					
HAHD-MZD5M50G-X		<p>5.0MP</p>	Nextchip 2475H+ SOI K03	\$32.48	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD				
HAHD-MZD5M50G			Nextchip2475H+SONY326	\$34.89	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD				









 <p>General Features: △Metal Housing, Vandalproof △Φ5*30pcs IR LED △IR Distance: 30-35m △2.8-12mm Varifocal Lens Size: Φ14.1x10.1cm Weight: 1.2kg *CE, FCC, ROHS Approved</p>	HAHD-MZDS110H-X	1.0MP	AHD	XM310+H62	\$21.73	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MZDS110H			Nextchip2433H+OV9732	\$22.06	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZDS113H-X			V20(FH8532E)+GC1064	\$23.04	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZDS113H	1.3MP		V20(FH8532E)+SC1135	\$24.36	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZDS113H-SN			Nextchip2431H+SONY225	\$30.16	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up
	HAHD-MZDS120H-X	2.0MP		XM320+F22	\$24.14	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MZDS120H-VF			V30(FH8536E)+F22	\$25.32	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MZDS120H			V30(FH8536E)+SONY323	\$27.30	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MZDS120H-SN	2.0MP		Nextchip2441H+SONY323	\$28.19	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MZDS120H-VS			Nextchip2441H+SONY307	\$33.38	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MZDS120H-NS			Nextchip2441H+SONY291	\$34.14	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MZDS120H-FS			FH8550M+SONY290	\$37.72	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-MZDS140H-X	4.0MP		FH8538M+OV4689	\$29.64	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-MZDS140H		Nextchip2475H+OV4689	\$30.29	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD		
HAHD-MZDS150H-X	5.0MP	TVI/AHD 2-in-1	Nextchip 2475H+ SOI K03	\$30.73	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
HAHD-MZDS150H		Nextchip2475H+SONY326	\$33.14	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD		



 <p>General Features: △Metal Housing, Vandalproof △Φ5*30pcs IR LED △IR Distance: 30-35m △2.8-12mm Varifocal Lens Size: Φ14.2*10.1 Weight: 1.2kg *CE, FCC, ROHS Approved</p>	HAHD-MZDS210I-X	1.0MP	AHD	XM310+H62	\$21.95	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MZDS210I			Nextchip2433H+OV9732	\$22.28	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZDS213I-X			V20(FH8532E)+GC1064	\$23.26	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZDS213I	1.3MP		V20(FH8532E)+SC1135	\$24.58	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZDS213I-SN			Nextchip2431H+SONY225	\$30.39	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up
	HAHD-MZDS220I-X	2.0MP		XM320+F22	\$24.36	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MZDS220I-VF			V30(FH8536E)+F22	\$25.54	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MZDS220I			V30(FH8536E)+SONY323	\$27.53	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MZDS220I-SN	2.0MP		Nextchip2441H+SONY323	\$28.42	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MZDS220I-VS			Nextchip2441H+SONY307	\$33.61	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MZDS220I-NS			Nextchip2441H+SONY291	\$34.36	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MZDS220I-FS			FH8550M+SONY290	\$37.95	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-MZDS240I-X	4.0MP		FH8538M+OV4689	\$29.86	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-MZDS240I		Nextchip2475H+OV4689	\$30.51	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD		
HAHD-MZDS250I-X	5.0MP	TVI/AHD 2-in-1	Nextchip 2475H+ SOI K03	\$30.95	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
HAHD-MZDS250I		Nextchip2475H+SONY326	\$33.36	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD		

※Plastic & Metal Bullet Fixed Lens Cameras




Picture	Model No.	Megapixel	Type	Solutions	USD/Set	Descriptions
 <p>General Features: △Plastic Housing △Φ5*24pcs IR LED △IR Distance: 20-25m △3.6mm HD Fixed Lens Size: Φ62x157mm Weight: 0.35kg *CE, FCC, ROHS Approved</p>	HAHD-P85010B-X	1.0MP	AHD	XM310+H62	\$7.99	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-P85010B			Nextchip2433H+OV9732	\$8.67	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-P85013B-X			V20(FH8532E)+GC1064	\$9.61	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-P85013B	1.3MP		V20(FH8532E)+SC1135	\$11.35	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-P85013B-SN			Nextchip2431H+SONY225	\$15.90	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up
	HAHD-P85020B-X	2.0MP		XM320+F22	\$10.62	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-P85020B-VF			V30(FH8536E)+F22	\$11.88	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-P85020B			V30(FH8536E)+SONY323	\$12.77	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-P85020B-SN	2.0MP		Nextchip2441H+SONY323	\$14.19	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-P85020B-VS			Nextchip2441H+SONY307	\$22.01	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-P85020B-NS			Nextchip2441H+SONY291	\$23.55	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-P85020B-FS			FH8550M+SONY290	\$26.04	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-P85040B-X	4.0MP		FH8538M+OV4689	\$17.94	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-P85040B		Nextchip2475H+OV4689	\$18.60	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD		
HAHD-P85050B-X	5.0MP	TVI/AHD 2-in-1	Nextchip 2475H+ SOI K03	\$19.04	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
HAHD-P85050B		Nextchip2475H+SONY326	\$21.58	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD		
	HAHD-MB6010DC-X	1.0MP	AHD	XM310+H62	\$10.57	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MB6010DC			Nextchip2433H+OV9732	\$11.07	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MB6013DC-X			V20(FH8532E)+GC1064	\$11.73	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MB6013DC	1.3MP		V20(FH8532E)+SC1135	\$13.56	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MB6013DC-SN			Nextchip2431H+SONY225	\$17.94	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up
	HAHD-MB6020DC-X	2.0MP		XM320+F22	\$12.87	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MB6020DC-VF			V30(FH8536E)+F22	\$14.00	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MB6020DC			V30(FH8536E)+SONY323	\$15.61	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD







<p>General Features: △Metal Housing, IP66 △18pcs SMT SMART IR LED △IR Distance: 20-25m △3.6mm HD Fixed Lens size:15.5(W)x6.8(D)x7.5(H)cm Weight:0.45kg *CE, FCC, ROHS Approved</p>	H41-MB6020DC-SN	2.0MP	AHD/TVI/CVI/CVBS 4-in-1	Nextchip2441H+SONY323	\$16.31	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD	
	H41-MB6020DC-VS			Nextchip2441H+SONY307	\$24.23	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD	
	H41-MB6020DC-NS			Nextchip2441H+SONY291	\$25.76	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	H41-MB6020DC-FS			FH8550M+SONY290	\$28.39	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	HAHD-MB6040DC-X	4.0MP	TVI/AHD 2-in-1	FH8538M+OV4689	\$20.28	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-MB6040DC			Nextchip2475H+OV4689	\$20.94	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-MB6050DC-X	5.0MP	TVI/AHD 2-in-1	Nextchip 2475H+ SOI K03	\$21.38	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
	HAHD-MB6050DC			Nextchip2475H+SONY326	\$23.79	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	<p>HOT</p>  <p>General Features: △Metal Housing, IP66 △18pcs SMT SMART IR LED △IR Distance: 20-25m △3.6mm HD Fixed Lens Size:155 x 68 x 75 mm Weight: 0.45kg *CE, FCC, ROHS Approved</p>	HAHD-MB6010D-X	1.0MP	AHD	XM310+H62	\$10.14	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
		HAHD-MB6010D			Nextchip2433H+OV9732	\$10.64	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-MB6013D-X		1.3MP	AHD	V20(FH8532E)+GC1064	\$11.31	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
HAHD-MB6013D				V20(FH8532E)+SC1135	\$13.12	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
HAHD-MB6013D-SN		2.0MP	AHD/TVI/CVI/CVBS 4-in-1	Nextchip2431H+SONY225	\$17.51	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
HAHD-MB6020D-X				XM320+F22	\$12.45	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
H41-MB6020D-VF		2.0MP	AHD/TVI/CVI/CVBS 4-in-1	V30(FH8536E)+F22	\$13.58	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD	
H41-MB6020D				V30(FH8536E)+SONY323	\$15.18	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD	
H41-MB6020D-SN				Nextchip2441H+SONY323	\$15.89	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD	
H41-MB6020D-VS				Nextchip2441H+SONY307	\$23.79	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD	
H41-MB6020D-NS		4.0MP	TVI/AHD 2-in-1	Nextchip2441H+SONY291	\$25.32	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
H41-MB6020D-FS				FH8550M+SONY290	\$27.95	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
HAHD-MB6040D-X		4.0MP	TVI/AHD 2-in-1	FH8538M+OV4689	\$19.85	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
HAHD-MB6040D				Nextchip2475H+OV4689	\$20.50	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
HAHD-MB6050D-X		5.0MP	TVI/AHD 2-in-1	Nextchip 2475H+ SOI K03	\$20.94	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
HAHD-MB6050D				Nextchip2475H+SONY326	\$23.35	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
<p>HOT</p>  <p>General Features: △Metal Housing, IP66 △9S*24pcs IR LED △IR Distance: 20-25m △3.6mm HD Fixed Lens Size: (Φ83×172mm) Weight: 0.45kg *CE, FCC, ROHS Approved</p>		HAHD-MB6010Q-X	1.0MP	AHD	XM310+H62	\$10.40	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
		HAHD-MB6010Q			Nextchip2433H+OV9732	\$10.90	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MB6013Q-X	1.3MP	AHD	V20(FH8532E)+GC1064	\$11.57	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MB6013Q			V20(FH8532E)+SC1135	\$13.38	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up	
	HAHD-MB6013Q-SN	2.0MP	AHD/TVI/CVI/CVBS 4-in-1	Nextchip2431H+SONY225	\$17.77	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up	
	HAHD-MB6020Q-X			XM320+F22	\$12.70	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR	
	H41-MB6020Q-VF	2.0MP	AHD/TVI/CVI/CVBS 4-in-1	V30(FH8536E)+F22	\$13.83	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD	
	H41-MB6020Q			V30(FH8536E)+SONY323	\$15.44	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD	
	H41-MB6020Q-SN			Nextchip2441H+SONY323	\$16.14	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD	
	H41-MB6020Q-VS			Nextchip2441H+SONY307	\$24.05	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD	
	H41-MB6020Q-NS	4.0MP	TVI/AHD 2-in-1	Nextchip2441H+SONY291	\$25.58	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	H41-MB6020Q-FS			FH8550M+SONY290	\$28.21	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	HAHD-MB6040Q-X	4.0MP	TVI/AHD 2-in-1	FH8538M+OV4689	\$20.11	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-MB6040Q			Nextchip2475H+OV4689	\$20.77	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-MB6050Q-X	5.0MP	TVI/AHD 2-in-1	Nextchip 2475H+ SOI K03	\$21.20	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
	HAHD-MB6050Q			Nextchip2475H+SONY326	\$23.61	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	


  <p>General Features: △Metal Housing, IP66 △Φ5°36pcs IR LED △IR Distance: 20-25m △3.6mm HD Fixed Lens Size: Ø83×172mm Weight: 0.45kg *CE, FCC, ROHS Approved</p>	HAHD-MB6010G-X	1.0MP	AHD	XM310+H62	\$10.21	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MB6010G	1.3MP		Nextchip2433H+OV9732	\$10.71	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MB6013G-X			V20(FH8532E)+GC1064	\$11.38	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MB6013G	2.0MP		V20(FH8532E)+SC1135	\$13.19	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MB6013G-SN			Nextchip2431H+SONY225	\$17.58	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, DWDR, 3D NR, IR-CUT, Sensor-up
	HAHD-MB6020G-X	2.0MP		XM320+F22	\$12.51	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MB6020G-VF			V30(FH8536E)+F22	\$13.64	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MB6020G	2.0MP		V30(FH8536E)+SONY323	\$15.25	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MB6020G-SN			Nextchip2441H+SONY323	\$15.95	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MB6020G-VS			Nextchip2441H+SONY307	\$23.85	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MB6020G-NS			Nextchip2441H+SONY291	\$25.39	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MB6020G-FS	4.0MP		FH8550M+SONY290	\$28.02	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-MB6040G-X			FH8538M+OV4689	\$19.91	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MB6040G	5.0MP		Nextchip2475H+OV4689	\$20.57	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MB6050G-X			Nextchip 2475H+ SOI K03	\$21.01	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
	HAHD-MB6050G	5.0MP		Nextchip2475H+SONY326	\$23.42	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
  <p>General Features: △Metal Housing, IP66 △Φ5°36pcs IR LED △IR Distance: 20-25m △3.6mm HD Fixed Lens Size: Ø83×172mm Weight: 0.45kg *CE, FCC, ROHS Approved</p>	HAHD-MB6010K-X	1.0MP	AHD	XM310+H62	\$11.56	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MB6010K	1.3MP		Nextchip2433H+OV9732	\$11.44	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MB6013K-X			V20(FH8532E)+GC1064	\$12.09	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MB6013K	2.0MP		V20(FH8532E)+SC1135	\$13.93	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MB6013K-SN			Nextchip2431H+SONY225	\$18.31	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, DWDR, 3D NR, IR-CUT, Sensor-up
	HAHD-MB6020K-X	2.0MP		XM320+F22	\$13.23	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MB6020K-VF			V30(FH8536E)+F22	\$14.36	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MB6020K	2.0MP		V30(FH8536E)+SONY323	\$15.97	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MB6020K-SN			Nextchip2441H+SONY323	\$16.67	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MB6020K-VS			Nextchip2441H+SONY307	\$24.60	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MB6020K-NS			Nextchip2441H+SONY291	\$26.13	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MB6020K-FS	4.0MP		FH8550M+SONY290	\$28.76	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-MB6040K-X			FH8538M+OV4689	\$20.66	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MB6040K	5.0MP		Nextchip2475H+OV4689	\$21.31	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MB6050K-X			Nextchip 2475H+ SOI K03	\$21.75	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
	HAHD-MB6050K	5.0MP		Nextchip2475H+SONY326	\$24.16	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
  <p>General Features: △Metal Housing, IP66 △Φ5°36pcs IR LED △IR Distance: 20-25m △3.6mm HD Fixed Lens Size: Ø83×172mm Weight: 0.45kg *CE, FCC, ROHS Approved</p>	HAHD-MB6010G2-X	1.0MP	AHD	XM310+H62	\$10.82	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MB6010G2	1.3MP		Nextchip2433H+OV9732	\$11.33	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MB6013G2-X			V20(FH8532E)+GC1064	\$11.99	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MB6013G2	2.0MP		V20(FH8532E)+SC1135	\$13.82	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MB6013G2-SN			Nextchip2431H+SONY225	\$18.20	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, DWDR, 3D NR, IR-CUT, Sensor-up
	HAHD-MB6020G2-X	2.0MP		XM320+F22	\$13.12	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MB6020G2-VF			V30(FH8536E)+F22	\$14.25	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MB6020G2	2.0MP		V30(FH8536E)+SONY323	\$15.86	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MB6020G2-SN			Nextchip2441H+SONY323	\$16.56	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MB6020G2-VS			Nextchip2441H+SONY307	\$24.49	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MB6020G2-NS			Nextchip2441H+SONY291	\$26.02	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MB6020G2-FS	4.0MP		FH8550M+SONY290	\$28.65	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-MB6040G2-X			FH8538M+OV4689	\$20.55	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MB6040G2	5.0MP		Nextchip2475H+OV4689	\$21.20	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MB6050G2-X			Nextchip 2475H+ SOI K03	\$21.64	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
	HAHD-MB6050G2	5.0MP		Nextchip2475H+SONY326	\$24.05	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
 	HAHD-MB4010S1-X	1.0MP	AHD	XM310+H62	\$11.24	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MB4010S1	1.3MP		Nextchip2433H+OV9732	\$11.76	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MB4013S1-X			V20(FH8532E)+GC1064	\$12.41	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MB4013S1	2.0MP		V20(FH8532E)+SC1135	\$14.26	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MB4013S1-SN			Nextchip2431H+SONY225	\$18.63	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, DWDR, 3D NR, IR-CUT, Sensor-up
	HAHD-MB4020S1-X	2.0MP		XM320+F22	\$13.54	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MB4020S1-VF			V30(FH8536E)+F22	\$14.67	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MB4020S1	2.0MP		V30(FH8536E)+SONY323	\$16.28	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD


<p>General Features: △Metal Housing , IP66 △2pcs Array LED △IR Distance: 20-25m △3.6mm HD Fixed Lens size: 130x130x130mm Weight:0.8kg *CE, FCC, ROHS Approved</p>	H41-MB402051-SN	2.0MP	AHD/TVI/C VI/CVBS 4 in-1	Nextchip2441H+SONY323	\$16.98	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD	
	H41-MB402051-VS			Nextchip2441H+SONY307	\$24.93	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sense-up, OSD	
	H41-MB402051-NS			Nextchip2441H+SONY291	\$26.46	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sense-up, OSD	
	H41-MB402051-FS			FH8550M+SONY290	\$29.09	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sense-up, OSD	
	HAHD-MB404051-X	4.0MP			FH8538M+OV4689	\$20.98	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MB404051				Nextchip2475H+OV4689	\$21.64	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MB405051-X	5.0MP		TVI/AHD 2-in-1	Nextchip 2475H+ SOI K03	\$22.08	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
	HAHD-MB405051				Nextchip2475H+SONY326	\$24.49	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	<p>HOT</p>  <p>General Features: △Metal Housing , IP66 △2pcs Array LED △IR Distance: 20-25m △3.6mm HD Fixed Lens size: 130x130x130mm Weight:0.8kg *CE, FCC, ROHS Approved</p>	HAHD-MB401053-X	1.0MP	AHD	XM310+H62	\$12.09	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
		HAHD-MB401053			Nextchip2433H+OV9732	\$12.62	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-MB401353-X		1.3MP			V20(FH8532E)+GC1064	\$13.25	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-MB401353					V20(FH8532E)+SC1135	\$15.14	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
HAHD-MB401353-SN		2.0MP			Nextchip2431H+SONY225	\$19.49	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sense-up
HAHD-MB402053-X					XM320+F22	\$14.38	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
H41-MB402053-VF		2.0MP	AHD/TVI/C VI/CVBS 4 in-1		V30(FH8536E)+F22	\$15.51	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
H41-MB402053					V30(FH8536E)+SONY323	\$17.13	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
H41-MB402053-SN					Nextchip2441H+SONY323	\$17.82	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
H41-MB402053-VS					Nextchip2441H+SONY307	\$25.80	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sense-up, OSD
H41-MB402053-NS		4.0MP			Nextchip2441H+SONY291	\$27.34	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sense-up, OSD
H41-MB402053-FS					FH8550M+SONY290	\$29.97	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sense-up, OSD
HAHD-MB404053-X		4.0MP			FH8538M+OV4689	\$21.86	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-MB404053					Nextchip2475H+OV4689	\$22.52	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-MB405053-X		5.0MP		TVI/AHD 2-in-1	Nextchip 2475H+ SOI K03	\$22.96	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
HAHD-MB405053					Nextchip2475H+SONY326	\$25.37	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
<p>HOT</p>  <p>General Features: △Metal Housing , IP66 △2pcs Array LED △IR Distance: 20-25m △3.6mm HD Fixed Lens Weight: 0.45kg *CE, FCC, ROHS Approved</p>		HAHD-MB401054-X	1.0MP	AHD	XM310+H62	\$10.82	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
		HAHD-MB401054			Nextchip2433H+OV9732	\$11.33	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MB401354-X	1.3MP			V20(FH8532E)+GC1064	\$11.99	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MB401354				V20(FH8532E)+SC1135	\$13.82	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MB401354-SN	2.0MP			Nextchip2431H+SONY225	\$18.20	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sense-up
	HAHD-MB402054-X				XM320+F22	\$13.12	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MB402054-VF	2.0MP	AHD/TVI/C VI/CVBS 4 in-1		V30(FH8536E)+F22	\$14.25	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MB402054				V30(FH8536E)+SONY323	\$15.86	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MB402054-SN				Nextchip2441H+SONY323	\$16.56	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MB402054-VS				Nextchip2441H+SONY307	\$24.49	1/2.8", 2.0MP 1080P SONY IMX307 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MB402054-NS	4.0MP			Nextchip2441H+SONY291	\$26.02	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MB402054-FS				FH8550M+SONY290	\$28.65	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	HAHD-MB404054-X	4.0MP			FH8538M+OV4689	\$20.55	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MB404054				Nextchip2475H+OV4689	\$21.20	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MB405054-X	5.0MP		TVI/AHD 2-in-1	Nextchip 2475H+ SOI K03	\$21.64	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
	HAHD-MB405054				Nextchip2475H+SONY326	\$24.05	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD

※Metal Bullet Varifocal Lens Cameras(2.8-12mm)

Picture	Model No.	Megapixel	Type	Solutions	USD/Set	Descriptions
 <p>General Features: ▲Metal Housing, IP66 ▲Φ5*42pcs IR LED ▲IR Distance: 30-40m ▲2.8-12mm Varifocal Lens Size: Φ236x176x87mm Weight: 1.7kg *CE, FCC, ROHS Approved</p>	HAHD-MZB7510C-X	1.0MP	AHD	XM310+H62	\$19.78	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MZB7510C			Nextchip2433H+OV9732	\$20.44	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZB7513C-X	1.3MP		V20(FH8532E)+GC1064	\$20.87	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZB7513C			V20(FH8532E)+SC1135	\$23.09	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZB7513C-SN	2.0MP		Nextchip2431H+SONY225	\$27.23	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, DWDR, 3D NR, IR-CUT, Sensor-up
	HAHD-MZB7520C-X			XM320+F22	\$21.92	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MZB7520C-VF	2.0MP	AHD/TVI/CVI/CVBS 4-in-1	V30(FH8536E)+F22	\$22.55	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MZB7520C			V30(FH8536E)+SONY323	\$24.22	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MZB7520C-SN			Nextchip2441H+SONY323	\$24.85	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MZB7520C-VS			Nextchip2441H+SONY307	\$30.25	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MZB7520C-NS			Nextchip2441H+SONY291	\$31.78	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MZB7520C-FS			FH8550M+SONY290	\$34.41	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-MZB7540C-X	4.0MP	TVI/AHD 2-in-1	FH8538M+OV4689	\$27.84	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MZB7540C			Nextchip2475H+OV4689	\$28.50	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MZB7550C-X	5.0MP	TVI/AHD 2-in-1	Nextchip2475H+SOI K03	\$28.94	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
	HAHD-MZB7550C			Nextchip2475H+SONY326	\$36.16	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
 <p>General Features: ▲Metal Housing, IP66 ▲Φ5*42pcs IR LED ▲IR Distance: 30-40m ▲2.8-12mm Varifocal Lens Size: Φ236x176x87mm Weight: 1.7kg *CE, FCC, ROHS Approved</p>	HAHD-MZB7510Y-X	1.0MP	AHD	XM310+H62	\$18.72	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MZB7510Y			Nextchip2433H+OV9732	\$19.36	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZB7513Y-X	1.3MP		V20(FH8532E)+GC1064	\$19.82	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZB7513Y			V20(FH8532E)+SC1135	\$21.99	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZB7513Y-SN	2.0MP		Nextchip2431H+SONY225	\$26.15	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, DWDR, 3D NR, IR-CUT, Sensor-up
	HAHD-MZB7520Y-X			XM320+F22	\$20.87	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MZB7520Y-VF	2.0MP	AHD/TVI/CVI/CVBS 4-in-1	V30(FH8536E)+F22	\$21.50	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MZB7520Y			V30(FH8536E)+SONY323	\$23.17	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MZB7520Y-SN			Nextchip2441H+SONY323	\$23.81	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MZB7520Y-VS			Nextchip2441H+SONY307	\$29.16	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MZB7520Y-NS			Nextchip2441H+SONY291	\$30.69	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MZB7520Y-FS			FH8550M+SONY290	\$33.32	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-MZB7540Y-X	4.0MP	TVI/AHD 2-in-1	FH8538M+OV4689	\$26.75	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MZB7540Y			Nextchip2475H+OV4689	\$27.40	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MZB7550Y-X	5.0MP	TVI/AHD 2-in-1	Nextchip2475H+SOI K03	\$27.84	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
	HAHD-MZB7550Y			Nextchip2475H+SONY326	\$35.07	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
 <p>Optional Color</p> <p>General Features: ▲Metal Housing, IP66 ▲Φ5*42pcs IR LED ▲IR Distance: 30-40m ▲2.8-12mm Varifocal Lens Size: Φ236x176x87mm Weight: 1.7kg *CE, FCC, ROHS Approved</p>	HAHD-MZB7510W-X	1.0MP	AHD	XM310+H62	\$21.68	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MZB7510W			Nextchip2433H+OV9732	\$22.38	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZB7513W-X	1.3MP		V20(FH8532E)+GC1064	\$22.76	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZB7513W			V20(FH8532E)+SC1135	\$25.06	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZB7513W-SN	2.0MP		Nextchip2431H+SONY225	\$29.16	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, DWDR, 3D NR, IR-CUT, Sensor-up
	HAHD-MZB7520W-X			XM320+F22	\$23.81	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MZB7520W-VF	2.0MP	AHD/TVI/CVI/CVBS 4-in-1	V30(FH8536E)+F22	\$24.43	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MZB7520W			V30(FH8536E)+SONY323	\$26.13	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MZB7520W-SN			Nextchip2441H+SONY323	\$26.74	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MZB7520W-VS			Nextchip2441H+SONY307	\$32.22	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MZB7520W-NS			Nextchip2441H+SONY291	\$33.76	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MZB7520W-FS			FH8550M+SONY290	\$36.38	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD
	HAHD-MZB7540W-X	4.0MP	TVI/AHD 2-in-1	FH8538M+OV4689	\$29.81	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MZB7540W			Nextchip2475H+OV4689	\$30.47	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MZB7550W-X	5.0MP	TVI/AHD 2-in-1	Nextchip2475H+SOI K03	\$30.91	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD
	HAHD-MZB7550W			Nextchip2475H+SONY326	\$38.14	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD


  <p>General Features: △Metal Housing, IP66 △Φ5*42pcs IR LED △IR Distance: 30-40m △2.8-12mm Varifocal Lens Size: Φ236x176x87mm Weight: 1.7kg *CE, FCC, ROHS Approved</p>	HAHD-MZB7510M-X	1.0MP	AHD	XM310+H62	\$22.32	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MZB7510M	1.3MP		Nextchip2433H+OV9732	\$23.03	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZB7513M-X			V20(FH8532E)+GC1064	\$23.39	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZB7513M	2.0MP		V20(FH8532E)+SC1135	\$25.72	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZB7513M-SN			Nextchip2431H+SONY225	\$29.81	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, DWDR, 3D NR, IR-CUT, Sensor-up
	HAHD-MZB7520M-VF	2.0MP		XM320+F22	\$24.43	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MZB7520M-VF			V30(FH8536E)+F22	\$25.06	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MZB7520M			V30(FH8536E)+SONY323	\$26.76	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MZB7520M-SN			Nextchip2441H+SONY323	\$27.37	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MZB7520M-VS			Nextchip2441H+SONY307	\$32.88	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MZB7520M-NS			Nextchip2441H+SONY291	\$34.41	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MZB7520M-FS	FH8550M+SONY290		\$37.04	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	HAHD-MZB7540M-X	4.0MP		FH8538M+OV4689	\$30.47	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MZB7540M	5.0MP		Nextchip2475H+OV4689	\$31.13	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-MZB7550M-X	Nextchip 2475SH+ SOI K03		\$31.56	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD		
HAHD-MZB7550M	5.0MP	Nextchip2475H+SONY326	\$38.79	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD		
  <p>General Features: △Metal Housing, IP66 △Φ5*42pcs IR LED △IR Distance: 30-40m △2.8-12mm Varifocal Lens Size: Φ236x176x87mm Weight: 1.7kg *CE, FCC, ROHS Approved</p>	HAHD-MZB7510M-X	1.0MP	AHD	XM310+H62	\$22.32	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MZB7510I	1.3MP		Nextchip2433H+OV9732	\$23.03	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZB7513M-X			V20(FH8532E)+GC1064	\$23.39	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZB7513I	2.0MP		V20(FH8532E)+SC1135	\$25.72	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZB7513I-SN			Nextchip2431H+SONY225	\$29.81	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, DWDR, 3D NR, IR-CUT, Sensor-up
	HAHD-MZB7520M-X	2.0MP		XM320+F22	\$24.43	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MZB7520M-VF			V30(FH8536E)+F22	\$25.06	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MZB7520M			V30(FH8536E)+SONY323	\$26.76	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MZB7520M-SN			Nextchip2441H+SONY323	\$27.37	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MZB7520M-VS			Nextchip2441H+SONY307	\$32.88	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MZB7520M-NS			Nextchip2441H+SONY291	\$34.41	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MZB7520M-FS	FH8550M+SONY290		\$37.04	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	HAHD-MZB7540M-X	4.0MP		FH8538M+OV4689	\$30.47	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MZB7540I	5.0MP		Nextchip2475H+OV4689	\$31.13	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-MZB7550M-X	Nextchip 2475SH+ SOI K03		\$31.56	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD		
HAHD-MZB7550I	5.0MP	Nextchip2475H+SONY326	\$38.79	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD		
  <p>General Features: △Metal Housing, IP66 △Φ5*42pcs IR LED △IR Distance: 30-40m △2.8-12mm Varifocal Lens Size: Φ236x176x87mm Weight: 1.7kg *CE, FCC, ROHS Approved</p>	HAHD-MZB7510M-X	1.0MP	AHD	XM310+H62	\$20.62	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MZB7510D	1.3MP		Nextchip2433H+OV9732	\$21.30	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZB7513D-X			V20(FH8532E)+GC1064	\$21.71	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZB7513D	2.0MP		V20(FH8532E)+SC1135	\$23.96	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZB7513D-SN			Nextchip2431H+SONY225	\$28.09	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, DWDR, 3D NR, IR-CUT, Sensor-up
	HAHD-MZB7520D-X	2.0MP		XM320+F22	\$22.76	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MZB7520D-VF			V30(FH8536E)+F22	\$23.39	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD
	H41-MZB7520D			V30(FH8536E)+SONY323	\$25.07	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD
	H41-MZB7520D-SN			Nextchip2441H+SONY323	\$25.69	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD
	H41-MZB7520D-VS			Nextchip2441H+SONY307	\$31.13	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 2D NR, IR-CUT, Sensor-up, OSD
	H41-MZB7520D-NS			Nextchip2441H+SONY291	\$32.66	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD
	H41-MZB7520D-FS	FH8550M+SONY290		\$35.29	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low Illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	HAHD-MZB7540D-X	4.0MP		FH8538M+OV4689	\$28.72	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
	HAHD-MZB7540D	5.0MP		Nextchip2475H+OV4689	\$29.37	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD
HAHD-MZB7550D-X	Nextchip 2475SH+ SOI K03		\$29.81	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD		
HAHD-MZB7550D	5.0MP	Nextchip2475H+SONY326	\$37.04	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD		


 <p>General Features: △Metal Housing, IP66 △5*42pcs IR LED △IR Distance: 30-40m △2.8-12mm Varifocal Lens size: 21.5x75x107mm Weight:0.53kg *CE, FCC, ROHS Approved</p>	HAHD-MZB7510K-X	1.0MP	AHD	XM310+H62	\$19.57	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MZB7510K	1.3MP		Nextchip2433H+OV9732	\$20.23	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZB7513K-X			V20(FH8532E)+GC1064	\$20.66	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZB7513K	2.0MP		V20(FH8532E)+SC1135	\$22.87	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZB7513K-SN			Nextchip2431H+SONY225	\$27.01	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up
	HAHD-MZB7520K-X	2.0MP		XM320+F22	\$21.71	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MZB7520K-VF		V30(FH8536E)+F22	\$22.34	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD	
	H41-MZB7520K		V30(FH8536E)+SONY323	\$24.01	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD	
	H41-MZB7520K-SN		Nextchip2441H+SONY323	\$24.64	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD	
	H41-MZB7520K-VS		Nextchip2441H+SONY307	\$30.03	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD	
	H41-MZB7520K-NS		Nextchip2441H+SONY291	\$31.56	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	H41-MZB7520K-FS	FH8550M+SONY290	\$34.19	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD		
	HAHD-MZB7540K-X	4.0MP	FH8538M+OV4689	\$27.62	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-MZB7540K		Nextchip2475H+OV4689	\$28.28	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
HAHD-MZB7550K-X	5.0MP	TVI/AHD 2-in-1	Nextchip 2475H+ SOI K03	\$28.72	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
HAHD-MZB7550K		TVI/AHD 2-in-1	Nextchip2475H+SONY326	\$35.95	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	


 <p>General Features: △Metal Housing, IP66 △8pcs Array LED △IR Distance: 45-50m △2.8-12mm Varifocal Lens Size: Ø313×98×98mm Weight: 1.7kg *CE, FCC, ROHS Approved</p>	HAHD-MZB7510T-X	1.0MP	AHD	XM310+H62	\$24.12	1/4", 1.0MP 720P HD CMOS Sensor, normal illumination, with IR-CUT, DNR
	HAHD-MZB7510T	1.3MP		Nextchip2433H+OV9732	\$24.86	1/3.6", 1.0MP 720P HD OmniVision CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZB7513T-X			V20(FH8532E)+GC1064	\$25.17	1/3.6", 1.3MP 960P HD GalaxyCore CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZB7513T	2.0MP		V20(FH8532E)+SC1135	\$27.58	1/3", 1.3MP 960P HD SmartSens CMOS Sensor, 0.1 LUX, 2D NR, IR-CUT, Sense-up
	HAHD-MZB7513T-SN			Nextchip2431H+SONY225	\$31.64	1/3", 1.3MP 960P SONY IMX225 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, DWDR, 3D NR, IR-CUT, Sensor-up
	HAHD-MZB7520T-X	2.0MP		XM320+F22	\$26.22	1/2.7", 2.1MP 1080P HD CMOS Sensor, low illumination, with IR-CUT, DNR
	H41-MZB7520T-VF		V30(FH8536E)+F22	\$26.85	1/2.7", 2.1MP 1080P HD SOI F22 CMOS Sensor, 0.01 LUX, 2D NR, IR-CUT, Sense-up, OSD Cable, OSD	
	H41-MZB7520T		V30(FH8536E)+SONY323	\$28.56	1/2.9", 2.4MP 1080P HD SONY IMX323 CMOS Sensor, 0.001 LUX, Low illumination, 2D NR, IR-CUT, Sense-up, OSD	
	H41-MZB7520T-SN		Nextchip2441H+SONY323	\$29.16	1/2.9", 2.4MP 1080P HD SONY323 CMOS Sensor, 0.001 LUX, Low illumination, 3D NR, IR-CUT, Sense-up, OSD	
	H41-MZB7520T-VS		Nextchip2441H+SONY307	\$34.74	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 2D NR, IR-CUT, Sensor-up, OSD	
	H41-MZB7520T-NS		Nextchip2441H+SONY291	\$36.27	1/2.8", 2.0MP 1080P SONY IMX291 Starlight CMOS Sensor, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD	
	H41-MZB7520T-FS	FH8550M+SONY290	\$38.90	1/2.8", 2.0MP 1080P IMX290 Starlight CMOS Sensor, Super WDR, 0.0001LUX, Super Low illumination, 3D NR, IR-CUT, Sensor-up, OSD		
	HAHD-MZB7540T-X	4.0MP	FH8538M+OV4689	\$32.33	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
	HAHD-MZB7540T		Nextchip2475H+OV4689	\$32.99	1/3", 4.0MP Full HD OmniVision CMOS Sensor, low illumination, 5MP lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	
HAHD-MZB7550T-X	5.0MP	TVI/AHD 2-in-1	Nextchip 2475H+ SOI K03	\$33.43	1/2.9", 5.0MP Full HD SOI K03 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 2D NR, Sense-up, OSD	
HAHD-MZB7550T		TVI/AHD 2-in-1	Nextchip2475H+SONY326	\$40.66	1/2.9", 5.0MP Full HD SONY326 CMOS Sensor, low illumination, with 5MP board lens, IR-CUT, DWDR, 3D NR, Sense-up, OSD	

✧ AHD High Speed Dome Camera



4inch High Speed Dome Camera

Picture	Model No.	Megapixel	Type	Solutions	USD/Set	Descriptions
	HAHD-TS405-BGZ1	1.3MP	AHD High Speed PTZ Camera	Nextchip2431+AR0130 Sensor:AR0130 Zoom Lens: 20X	\$99.54	<ul style="list-style-type: none"> 8pcs OSRAM Array LEDs, IR Distance 100M 20X optical zoom lens (Displayable 36X zoom) Horizontal Rotation Speed 0.01°~100°/s, Vertical rotation speed 0.01°~100°/s PTZ Control by Coaxial(plug-and-play) or RS485 Preset cruise, pattern scanning, area scanning, 360°horizontal scanning Lighting protection: 4000V (three three lightning protection measures, effectively protect the camera running) Housing: Aluminum die casting shield Operating temperature: -20℃~60℃ Power Supply: DC12V-2A
	HAHD-TS405-BGZ2	2.0MP		Nextchip2441+SONY323 Sensor:sony IMX 323 Zoom Lens: 20X	\$110.85	


	HAHD-TS406-BGZ1	1.3MP	AHD High Speed PTZ Camera	Nextchip2431+AR0130 Sensor:AR0130 Zoom Lens: 20X	\$117.64	<ul style="list-style-type: none"> 6pcs OSRAM Array LEDs,IR Distance 80M 20X optical zoom lens (Displayable 36X zoom) Horizontal Rotation Speed 0.01°~240°/s, Vertical rotation speed 0.01°~180°/s; PTZ Control by Coaxial (plug-and-play) or RS485 Preset cruise, pattern scanning,area scanning, 360°horizontal scanning Lighting protection: 4000V (three three lightning protection measures, effectively protect the camera running) Housing: Aluminum die casting shield Operating temperature: -20℃~60℃ Power Supply: DC12V-2A
	HAHD-TS406-BGZ2	2.0MP		Nextchip2441+SONY323 Sensor:sony IMX 323 Zoom Lens: 20X	\$131.21	





	HAHD-TS507-BGZ1	1.3MP	AHD High Speed PTZ Camera	Nextchip2431+AR0130 Sensor:AR0130 Zoom Lens: 20X	\$117.64	<ul style="list-style-type: none"> 6pcs OSRAM Array LEDs,IR Distance 80M 20X optical zoom lens (Displayable 36X zoom) Horizontal Rotation Speed 0.01°~40°/s, Vertical rotation speed 0.01°~40°/s; PTZ Control by Coaxial (plug-and-play) or RS485 Preset cruise, pattern scanning,area scanning, 360°horizontal scanning Lighting protection: 4000V (three three lightning protection measures, effectively protect the camera running) Housing: Aluminum die casting shield Operating temperature: -20℃~60℃ Power Supply: DC12V-2A
	HAHD-TS507-BGZ2	2.0MP		Nextchip2441+SONY323 Sensor:sony IMX 323 Zoom Lens: 20X	\$142.52	





6inch High Speed Dome Camera



Picture	Model No.	Megapixel	Type	Solutions	USD/Set	Descriptions
	HAHD-TS604-BGZ1	1.3MP	AHD High Speed PTZ Camera	Nextchip2431+AR0130 Sensor:AR0130 Zoom Lens: 20X	\$117.64	<ul style="list-style-type: none"> 5pcs OSRAM IR Array LEDs,3pcs laser LEDs,IR Distance 150M 20X optical zoom lens (Displayable 36X zoom) Horizontal Rotation Speed 0.01°~100°/s, Vertical rotation speed 0.01°~100°/s; PTZ Control by Coaxial (plug-and-play) or RS485 Preset cruise, pattern scanning,area scanning, 360°horizontal scanning Lighting protection: 4000V (three three lightning protection measures, effectively protect the camera running) Housing: Aluminum die casting shield Operating temperature: -20℃~60℃ Power Supply: DC12V-4A
	HAHD-TS604-BGZ2	2.0MP		Nextchip2441+SONY323 Sensor:sony IMX 323 Zoom Lens: 20X	\$131.21	
Half metal						
	HAHD-TS601-BGZ1	1.3MP	AHD High Speed PTZ Camera	Nextchip2431+AR0130 Sensor:AR0130 Zoom Lens: 20X	\$160.62	<ul style="list-style-type: none"> 4pcs OSRAM IR Array LEDs,6pcs laser LEDs,IR Distance 300M 20X optical zoom lens (Displayable 36X zoom) Horizontal Rotation Speed 0.01°~240°/s, Vertical rotation speed 0.01°~180°/s; PTZ Control by Coaxial (plug-and-play) or RS485 Preset cruise, pattern scanning,area scanning, 360°horizontal scanning Lighting protection: 4000V (three three lightning protection measures, effectively protect the camera running) Housing: Aluminum die casting shield Operating temperature: -20℃~60℃ Power Supply: DC12V-4A
	HAHD-TS601-BGZ2	2.0MP		Nextchip2441+SONY323 Sensor:sony IMX 323 Zoom Lens: 20X	\$174.20	
Full metal						

8inch High Speed Dome Camera

Picture	Model No.	Megapixel	Type	Solutions	USD/Set	Descriptions
	HAHD-TS809-BGZ1	1.3MP	AHD High Speed PTZ Camera	Nextchip2431+AR0130 Sensor:AR0130 Zoom Lens: 20X	\$153.84	<ul style="list-style-type: none"> 6pcs OSRAM IR Array LEDs,4pcs laser LEDs,IR Distance 300M 20X optical zoom lens (Displayable 36X zoom) Horizontal Rotation Speed 0.01°~40°/s, Vertical rotation speed 0.01°~40°/s; PTZ Control by Coaxial (plug-and-play) or RS485 Preset cruise, pattern scanning,area scanning, 360°horizontal scanning Lighting protection: 4000V (three three lightning protection measures, effectively protect the camera running) Housing: Aluminum die casting shield Operating temperature: -20℃~60℃ Power Supply: DC12V-4A
	HAHD-TS809-BGZ2	2.0MP		Nextchip2441+SONY323 Sensor:sony IMX 323 Zoom Lens: 20X	\$176.46	

5-in-1 1080N XVR (AHD/CVI/TVI/CVBS/IPC)				
Picture	Model No.	Solutions	USD/Set	Specification
 size: 440*290*50 (mm)	HX-RE04	4CH 5 IN 1 1080N AHD DVR (AHD/IP/CVI/TVI/CVBS)	\$27.97	Display : 4CH * 1080P (1920*1080P) camera; IP: 8*1080P; 12*960P; Blend: 2*AHD/CVI/TVI + 2*720P(IP) Playback: 4CH 1080N 12@Fps; HDD: 1*6TB, 1CH VGA/ HDMI output; Support P2P, App: XMeye
	HX-RE08	8CH 5 IN 1 1080N AHD DVR (AHD/IP/CVI/TVI/CVBS)	\$36.17	Display : 8CH * 1080P (1920*1080P) camera; IP: 8*1080P; 16*960P; 4*5MP, Blend: 4*AHD/CVI/TVI + 4*720P(IP) Playback: 4ch 1080N 12@Fps; HDD: 1*6TB, 1CH VGA/ HDMI output; Support P2P, App: XMeye
	HX-RE16-V	16CH 5 IN 1 1080N AHD DVR (AHD/IP/CVI/TVI/CVBS)	\$55.86	Display : 16CH * 1080P (1920*1080P) camera; IP: 16*1080P; 16*960P; 4*5MP Blend: 8*AHD/CVI/TVI + 8*960P(IP) Playback: 4ch 1080N 12@Fps; HDD: 1*6TB, 1CH VGA/ HDMI output; Support P2P, App: XMeye
 size: 440*290*50 (mm)	HX-MH32-4	16CH 5 IN 1 1080N AHD DVR (AHD/IP/CVI/TVI/CVBS)	\$195.59	Display : 32CH * 1080P (1920*1080P) camera; IP: 32*1080P; 16*960P; 8*5MP Blend: 8*AHD/CVI/TVI 1080N +8*960P(IP) Playback quality: 16ch 1080N 15@Fps, Max HDD: 2*6TB, VGA/ HDMI output Support P2P, App: XMeye Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc ;
	HX-MH32-4	32CH 5 IN 1 1080N AHD DVR (AHD/IP/CVI/TVI/CVBS)	\$230.94	Display : 32CH * 1080P (1920*1080P) camera; IP: 32*1080P; 16*960P; 8*5MP Blend: 8*AHD/CVI/TVI 1080N +8*960P(IP) Playback quality: 16ch 1080N 15@Fps, Max HDD: 4*6TB, VGA/ HDMI output Support P2P, App: XMeye Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc ;
 size: 443*427.5*92 (mm)	HX-MP32-8	32CH 5 IN 1 1080N AHD DVR (AHD/IP/CVI/TVI/CVBS)	\$293.96	Display : 32ch * 1080P (1920*1080P) camera; IP: 32*1080P; 16*960P; 8*5MP Blend: 8*AHD/CVI/TVI 1080N +8*960P(IP) Playback quality: 16ch 1080N 15@Fps, Max HDD: 8*6TB, VGA/ HDMI output Support P2P, App: XMeye Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc ;
5-in-1 1080P XVR (AHD/CVI/TVI/CVBS/IPC)				
 size: 443*427.5*92 (mm)	HX-TA04	4CH 1080P 5 in 1 DVR (AHD/IP/CVI/TVI/CVBS)	\$38.23	Display : 4CH 1080P camera; IP: 8*1080P; 16*960P; 4*5MP Blend: 2*AHD/CVI/TVI/XVI + 2*1080P(IP) Playback quality: 4CH 1080P 15@Fps, Max HDD: 1*6TB, VGA/ HDMI output Support P2P, App: XMeye Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc ;
	HX-TA08	8CH 1080P 5 in 1 DVR (AHD/IP/CVI/TVI/CVBS)	\$52.79	Display : 8CH 1080P camera; IP: 8*1080P; 16*960P; 4*5MP Blend: 4*AHD/CVI/TVI/XVI + 4*1080P(IP) Playback quality: 4CH 1080P 12@Fps, Max HDD: 1*6TB, VGA/ HDMI output Support P2P, App: XMeye Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc ;
	HX-TA16	16CH 1080P 5 in 1 DVR (AHD/IP/CVI/TVI/CVBS)	\$111.09	Display : 16CH 1080P camera; IP: 8*1080P; 16*960P; 4*5MP Blend: 4*AHD/CVI/TVI/XVI + 4*1080P(IP) Playback quality: 16CH 1080P 12@Fps, Max HDD: 1*6TB, VGA/ HDMI output Support P2P, App: XMeye Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc ;

 size: 350*296*44 (mm)	HX-FH04	4CH 5 IN 1 1080P AHD DVR (AHD/IP/CVI/TVI/CVBS)	584.85	Display quality: 4CH 1080P (1920*1080P) Video; IP: 8*1080P; 16*960P; 4*5MP Blend: 4*AHD/CVI/TVI+4*1080P(IP) Playback quality: 4ch 1080P 15@fps Max HDD: 2*6TB, 1CH VGA/HDMI output Support P2P, App: XMeye Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc.;
	HX-FH08	8CH 5 IN 1 1080P AHD DVR (AHD/IP/CVI/TVI/CVBS)	5147.03	Display quality: 8CH 1080P (1920*1080P) Video; IP: 8*1080P; 16*960P; 8*3MP; 4*5MP Blend: 8*AHD/CVI/TVI+8*1080P(IP) Playback quality: 8ch 1080P 25@fps Max HDD: 2*6TB, 1CH VGA/HDMI output Support P2P, App: XMeye Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc.;
 size: 440*400.5*60 (mm)	HX-LH08	8CH 5 IN 1 1080P AHD DVR (AHD/IPC/CVI/TVI/CVBS) Real Time	5213.81	Display quality: 8ch 1080P (1920*1080P) Video; IP: 8*1080P; 16*960P; 8*3MP; 4*5MP Blend: 8*AHD/CVI/TVI+8*1080P(IP) Playback quality: 8ch 1080P 25@fps Max HDD: 4*6TB, 1CH VGA/ HDMI output Support P2P, App: XMeye Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc.;
	HX-LH16	16CH 5 IN 1 1080P AHD DVR (AHD/IP/CVI/TVI/CVBS) None Real Time	5271.66	Display quality: 16ch 1080P (1920*1080P) Video; IP: 8*1080P+8*960P; 8*3MP; 4*5MP Blend: 8*AHD/CVI/TVI +8*1080P(IP) Playback quality: 16ch 1080P 12@fps Max HDD: 4*6TB, 1CH VGA/HDMI output Support P2P, App: XMeye Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc.;
5-in-1 SMP/4MP/3MP/2MP XVR (AHD/IP/CVI/TVI/CVBS)				
 size: 440*400.5*60 (mm)	HX-TMA04	4CH 5 IN 1 4MP AHD DVR (AHD/IP/CVI/TVI/CVBS)	538.97	Display 4*AHD 4M-N(15fps); 4*1080N (5in1) IP: 8*1080P; 12*960P; 8*720P Blend: 2*1080N (5in1) + 2*960P(IP) Playback quality: 2*4M-N 4*1080N Audio: 4ch audio; Max HDD: 1*6TB, VGA/ HDMI output Support P2P, App: XMeye Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc.; 12V 2A
	HX-TMA08	8CH 5 IN 1 4MP AHD DVR (AHD/IP/CVI/TVI/CVBS)	542.06	Display : 8*AHD 4M-N(8fps); 8*1080N (5in1) IP: 16*1080P; 16*960P; 4*5MP Blend: 4*1080N (5in1) + 4*960P(IP) Playback quality: 8*4M-N, 8*1080N Audio: 4ch audio; Max HDD: 1*6TB, VGA/ HDMI output Support P2P, App: XMeye Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc.; 12V 2A
	HX-TMA16	16CH 5 IN 1 4MP AHD DVR (AHD/IP/CVI/TVI/CVBS)	566.99	Display : 16*AHD 4M-N(8fps); 16*1080N (5in1) IP: 8*1080P+8*960P; 4*4MP; 4*5MP Blend: 8*1080N (5in1) + 8*960P(IP) Playback quality: 16*4M-N, 16*1080N Audio: 2ch audio; Max HDD: 1*6TB, VGA/ HDMI output Support P2P, App: XMeye Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc.; 12V 2A
 size: 440*400.5*60 (mm)	HX-TMI04	4CH 5 IN 1 5MP AHD DVR (AHD/IP/CVI/TVI/CVBS)	556.50	Display : 4*AHD 5MP(11fps)/ 4MP(15fps)/3MP(18fps) 4*AHD/CVI/TVI 1080P(25fps) IP: 8*1080P+8*960P; 4*5MP Blend: 2*AHD 5MP + 2*5MP(IP) Playback quality: 4ch*5M@6fps(AHD); 4ch*4M@8fps(AHD); 4ch*1080P@15fps(5 in 1); 4*720P(5 in 1) Audio: 4ch Audio; Max HDD: 1*6TB, VGA/ HDMI output Support P2P, App: XMeye Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc.;
	HX-TMI08	8CH 5 IN 1 5MP AHD DVR (AHD/IP/CVI/TVI/CVBS)	5125.53	8*AHD 5MP(11fps)/4MP(15fps)/3MP(18fps) 8*AHD/CVI/TVI 1080P(25fps) IP: 8*3MP; 4*5MP Blend: 4*AHD 5MP + 4*5MP(IP) Playback quality: 4ch*5M@6fps(AHD); 4ch*4M@8fps(AHD); 4ch*1080P@15fps(5 in 1); 4*720P(5 in 1) Audio: 4ch audio; Max HDD: 1*6TB, VGA/ HDMI output Support P2P, App: XMeye Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc.;

 size: 440*290*50 (mm)	HX-TMJ04	4CH 5 IN 1 5MP AHD DVR (AHD/IP/CVI/TVI/CVBS)	584.12	Display : 4*AHD 5MP(11fps); 4*AHD 4MP(15fps); 4*AHD 3MP(18fps) 4*AHD/CVI/TVI 1080P(25fps) IP: 8*1080P+8*960P; 4*5MP Blend: 2*AHD 5MP + 2*5MP(IP) Playback quality: 4*4M@8fps(AHD); 4*3M@10fps(AHD); 4*1080P @12fps (5 in 1); 4*720P(5 in 1) Max HDD: 1*6TB, VGA/ HDMI output Support P2P, App: XMeve Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc.;
	HX-TMJ08	8CH 5 IN 1 5MP AHD DVR (AHD/IP/CVI/TVI/CVBS)	5150.38	Display : 8*AHD 5MP(11fps)/ 4MP(15fps)/3MP(18fps) 8*AHD/CVI/TVI 1080P(25fps) IP: 8*3MP; 4*5MP Blend: 4*AHD 5MP + 4*5MP(IP) Playback quality: 4*4M@8fps(AHD); 4*3M@10fps(AHD); 4*1080P @12fps (5 in 1); Max HDD: 2*6TB, VGA/ HDMI output Support P2P, App: XMeve Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc.;
	HX-TMJ16	16CH 5 IN 1 5MP AHD DVR (AHD/IP/CVI/TVI/CVBS)	5203.61	Display : 16*AHD 5MP(11fps)/4MP(15fps)/ 3MP(18fps) 16*AHD/CVI/TVI 1080P(25fps) IP: 32*1080P; 16*3MP; 8*5MP Blend: 8*AHD/CVI/TVI 5MP + 8*5MP(IP) Playback quality: 8*4M@8fps(AHD); 8*3M@10fps(AHD); 8*1080P @12fps (5 in 1); Max HDD: 2*6TB, VGA/ HDMI output Support P2P, App: XMeve Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc.;
 size: 440*400.5*60 (mm)	HX-TMB16	16CH 5 IN 1 4MP AHD DVR (AHD/IP/CVI/TVI/CVBS)	5220.86	Display : 16*AHD 4MP(8fps)/3MP(10fps)/1080P(15fps) IP: 8*3MP; 4*5MP Blend: 8*AHD 4MP + 8*4MP(IP) Playback quality: 8*4M@8fps(AHD); 8*3M@10fps(AHD); 8*1080P @12fps (5 in 1); Max HDD: 4*6TB, VGA/ HDMI output Support P2P, App: XMeve Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc.;
	HX-TMP32	32CH 5 IN 1 4MP AHD DVR (AHD/IP/CVI/TVI/CVBS)	5308.80	Display : 32*AHD 4MP(8fps)/32*AHD 3MP(10fps) 32*AHD/CVI/TVI 1080P(15fps) 32*AHD/CVI/TVI 720P(25fps) IP: 32*1080P; 16*3MP; 8*5MP Playback quality: 16*4M@8fps(AHD); 16*3M@10fps(AHD); 16*1080P @12fps (5 in 1); Max HDD: 4*6TB, VGA/ HDMI output Support P2P, App: XMeve Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,3G, WIFI, IP search, Alarm center, etc.;
★ IMPORTANT INFORMATION - PLEASE READ				
1) Terms of payment: As Referenced in FreeWorldImports FAQ				
2) Time of Delivery: around 7-10 working days upon receipts of payment.				
3) Warranty: 24 Months for cameras				
5) Sample Order, No MOQ Limit; from the second order the camera MOQ is 50pcs				